



**GOVERNMENT OF NATIONAL CAPITAL TERRITORY OF DELHI**

**REPORT ON  
MEDICAL CERTIFICATION OF  
CAUSE OF DEATHS IN DELHI-2018**



**DIRECTORATE OF ECONOMICS & STATISTICS  
&  
OFFICE OF THE CHIEF REGISTRAR (BIRTHS & DEATHS)  
VIKAS BHAWAN-II, 3rd FLOOR 'B' WING,  
UPPER BELA ROAD, NEAR METCALFE HOUSE,  
DELHI- 110054.**



**GOVERNMENT OF NATIONAL CAPITAL TERRITORY OF DELHI**

**REPORT ON  
MEDICAL CERTIFICATION OF  
CAUSE OF DEATHS  
IN DELHI-2018**



**DIRECTORATE OF ECONOMICS & STATISTICS  
&  
OFFICE OF THE CHIEF REGISTRAR (BIRTHS & DEATHS)  
GOVT. OF N.C.T. OF DELHI  
3<sup>rd</sup> FLOOR, 'B' WING, VIKAS BHAWAN-II  
UPPER BELA ROAD, NEAR METCALFE HOUSE,  
DELHI- 110054 Website: [www.delhi.gov.in](http://www.delhi.gov.in)**

## ***PREFACE***

This report on Medical Certification of Cause of Death is brought out by the Directorate of Economics & Statistics and Office of Chief Registrar (Births & Deaths), GNCTD. The Registration of Births and Deaths Act, 1969 provides for certification of cause of death by the medical practitioners who have last attended the deceased. The Section 10(2) of the Act empowers the State Government to introduce the system of medical certification of cause of death. In Delhi, the medical certification of cause of death has been made compulsory in July 2003 by bringing all the hospitals, government as well as private in the purview of the provisions of Section 10(3) of the RBD Act, 1969.

The report has been prepared exclusively on the basis of data on institutional deaths in Delhi. In domiciliary cases MCCD is not reported, so the readers of this report may bear in mind that this study is confined to 67.44% of the registered deaths during 2018 in Delhi which have occurred in hospitals.

The report is divided into four sections. First section is regarding the introduction of medical certification of cause of death (MCCD). Second section is for MCCD at a glance reflecting the level of death registration during 2001-2018 and distribution of institutional deaths by major causes during 2018. Third section is the Time Series analysis of MCC Deaths during the period 2001-2018. Detailed statistical tables are given in section four. In this section, period from the year 2001 to 2018 is taken into consideration for the study. This part contains the study of institutional deaths - local body wise, sex-wise and age-wise. It has also been attempted to analyze the incidence of major causes of deaths during the period 2001-2018 in Delhi on the basis of International Classification of Diseases (ICD) - 10 classification of WHO. This section specifically includes analysis of deaths due to Heart attack, cancer, tuberculosis, pneumonia, diabetic mellitus etc. in Delhi.

I would like to bring on record my appreciation for the sincere efforts put in by the officers and officials of Vital Statistics Unit in the preparation of the report.

It is hoped that this report will be a useful tool in the hands of policy makers of health related sectors, socio economic planners, health planners, researchers, scholars etc. Suggestions for further improvement in the report, if any, are welcome.

DELHI  
March, 2020

**ASHOK KUMAR**  
**DIRECTOR**  
&  
**CHIEF REGISTRAR (BIRTHS & DEATHS)**

**TEAM OF OFFICERS/OFFICIALS ASSOCIATED**

**WITH THE PREPARATION OF THE REPORT**

**VITAL STATISTICS UNIT**

MS. MANJUBALA SAHOO	:	JOINT DIRECTOR
SH. S. R. MEENA	:	DEPUTY DIRECTOR
SH. RAJENDRA KUMAR	:	ASSISTANT DIRECTOR
DR. ASHUTOSH KUMAR	:	ASSISTANT DIRECTOR
SH. S. S. RAWAT	:	STATISTICAL OFFICER
SH. SUDHIR SINGH	:	STATISTICAL ASSISTANT
SH. SANDEEP	:	STATISTICAL ASSISTANT
MS. MANISHA JAUHARI	:	STATISTICAL ASSISTANT
SH. CHIMAN LAL	:	M.A.

**EDP UNIT**

MS. NIDHI RAJPAL	:	SYSTEM ANALYST
------------------	---	----------------

**REPORT ON MEDICAL CERTIFICATION  
OF  
CAUSE OF DEATHS (MCCD) IN DELHI 2018**

**CONTENTS**

<b>SECTION</b>	<b>SUBJECT</b>	<b>PAGE NO.</b>
<b>1</b>	<b>INTRODUCTION</b>	<b>1-2</b>
<b>2</b>	<b>MCCD AT A GLANCE</b>	<b>3-13</b>
<b>3</b>	<b>TIME SERIES ANALYSIS OF MCC DEATHS</b>	<b>14-27</b>
<b>4</b>	<b>STATISTICAL TABLES</b>	<b>28-73</b>

**-: SECTION ONE :-**  
**INTRODUCTION**

## **SECTION ONE**

### **INTRODUCTION**

The Registration of Births and Deaths Act, 1969 (RBD Act, 1969) came into force in Delhi w.e.f. 1<sup>st</sup> July, 1970. The Act aims at compulsory accounting of vital events which results in the issuance of certificates as well as generation of valuable data for plan and policy formulation on health sector. The Delhi Registration of Births and Deaths Rules, 1970 has also been notified w.e.f. 1<sup>st</sup> January 1971. Further, these rules have been modified as per direction of Registrar General India in December, 1999 and came into force w.e.f. 1<sup>st</sup> January, 2000. Directorate of Economics & Statistics, Govt. of N.C.T. of Delhi also functions as the Office of Chief Registrar (Births & Deaths) for the N.C.T. of Delhi. The actual registration of Births & Deaths in Delhi is done by five local bodies viz North/South/East Delhi Municipal Corporations, NDMC and Delhi Cantonment Board through the registration offices under their jurisdictions. Each local body has Additional Chief Registrar (Births & Deaths) to coordinate smooth and effective functioning of registration works of vital events in the respective jurisdictional area. The registration office/ zone under the local body is headed by Registrar (B&D).

### **MEANING OF MCCD**

Medical Certification of cause of death is a record of the cause of death i.e. the disease, abnormality or injury which has directly or indirectly contributed to the death of a person. Death often results from the combined effects of two or more conditions. Sometimes these conditions may be related or un-related. When the conditions are related, the underlying cause of death is the disease or injury which initiated the sequence of events. All other conditions of death other than the underlying cause of death is termed as antecedent and immediate cause of death. The system of medical certification of cause of death provides cause specific mortality profiles which is a key indicator for analyzing the health trends of population in a scientific manner. The analysis of causes of deaths in different age groups has immense value to the public health planners/administrators, medical professionals, epidemiologists and research workers etc.

## **STATUTORY PROVISIONS**

The section 10 (2) of the RBD Act empowers the State govt. to introduce the system of medical certification of cause of death in specified areas taking into consideration the facilities available and other related factors. The Section 10 (3) of the Act makes it mandatory for the medical practitioner, who has attended the person during his/her last illness, to issue a medical certificate of cause of death in the prescribed format, in the event of the death of the person, without charging any fee. The Certificate of cause of death is submitted to the Registrar (B&D) by the informant along with the death report. As per Section 17 (1) (b) of the Act, the Registrar (B&D) has to keep the cause of death of the individual confidential ; therefore the particulars of cause of death are not disclosed to any person while issuing the extract of the death register. Further, Section 23(3) of the RBD Act stipulates that any medical institution/practitioner who neglects or refuses to issue a MCCD certificate under sub-section (3) of section 10 shall be punished with a fine upto fifty rupees.

## **MEDICAL CERTIFICATION OF CAUSE OF DEATH IN DELHI**

In the NCT of Delhi, the medical certification of cause of death has been made compulsory for all the hospitals managed by Govt./ Autonomous bodies including specialized hospital and all nursing homes managed by private organizations and societies of rural and urban areas since July 2003. However all domiciliary events have been kept out of the coverage of the Medical Certification of Cause of Death.

As per Act and Rules, Form No. 4 is there for reporting the cause of death in case of institutional deaths and Form No.4A for reporting the cause of death in domiciliary cases. However, the reporting of cause of domiciliary deaths event is purely voluntary.

## **SYSTEM OF IMPLEMENTATION**

All major hospitals/ health institutions both in public and private (including Charitable), which are approximately 900 in number, are reporting death events online to local bodies. The remaining hospitals report the details of the events to the concerned Registrar (B&D) along with the duly filled up form number 4.

\* \* \*



**-: SECTION TWO :-**  
**MCCD AT A GLANCE**

## SECTION TWO

### MCCD AT A GLANCE

Successful implementation of the scheme of Medical Certification of Cause of Death and the quality of data generated under it depends mainly on two factors, i.e. level of death registration, which is the percentage of deaths registered under CRS to total estimated number of deaths under SRS and proportion of institutional death events to total death events under CRS. Performance of Delhi based on both the above factors is much better than many states and UTs.

#### Statement No 2.1: Level of Death Registration:

YEAR	MID YEAR POPULATION (IN 000)	TOTAL REGISTERED DEATH UNDER C R S	ESTIMATED NO. OF DEATHS UNDER SRS	LEVEL OF DEATH REGISTRATION (IN %)
1	2	3	4	5
2001	13913	81100	70956	114
2002	14183	86176	72333	119
2003	14458	87743	72290	121
2004	14739	85378	69273	123
2005	15025	94187	69115	136
2006	15316	98908	71985	137
2007	15613	100974	74942	135
2008	15916	107600	76397	141
2009	16225	112013	71390	157
2010	16540	124353	69468	179
2011	16860	112142	72501	155
2012	17187	104616	72340	145
2013	17559	97185	71992	135
2014	17900	121286	68018	178
2015	18247	124516	65690	190
2016	18601	141632	74406	190
2017	18963	136117	70162	194
2018	19331	145533	N.A.	N.A.

#### Statement No 2.2: Number of Institutional Deaths and percentage to total deaths registered under CRS:

YEAR	TOTAL DEATHS	INSTITUTIONAL DEATHS	% OF INSTITUTIONAL DEATHS TO TOTAL
2001	81100	45034	55.53
2002	86176	44965	52.18
2003	87743	48473	55.24
2004	87378	48559	55.58
2005	94187	56390	59.87
2006	98908	60254	60.92
2007	100974	59256	58.68
2008	107600	57122	53.09
2009	112013	68373	61.04
2010	124353	76373	61.42
2011	112142	68326	60.93
2012	104616	67856	64.86
2013	97185	68135	70.11
2014	121286	74592	61.50
2015	124516	78067	62.70
2016	141632	90517	63.91
2017	136117	89377	65.66
2018	145533	98153	67.44


## Deaths by Major Causes:

During 2018, out of 145533 (89644 males, 55848 females and 41 others) deaths, 98153 deaths (61332 males, 36786 females and 35 others i.e. transgender/ ambiguous/ not stated) were covered in the MCCD. The classification of medically certified deaths by leading causes during 2018 as per International Classification of Diseases (10<sup>th</sup> revision) is presented as under:

### Statement No 2.3: Distribution of Institutional Deaths by major causes:

ICD 10 Chapter No.	Name of Broad Disease Group	No. of Persons				% to total
		Male	Female	Other	Total	
I	Infectious and Parasitic Diseases (A00-B99)	8179	5339	4	13522	13.78
II	Neoplasms (C00-D48)	3736	2659	1	6396	6.52
III	Diseases of the Blood & blood forming organs and certain disorders involving the immune mechanism (D50-D89)	524	357	0	881	0.9
IV	Endocrine, Nutritional and Metabolic Diseases (E00-E89)	1527	1321	0	2848	2.9
V	Mental and Behavioural disorders (F01-F99)	28	10	0	38	0.04
VI	Diseases of the Nervous System (G00-G98)	1277	880	0	2157	2.2
VII	Diseases of the eye and adnexa (H00 - H59)	1	2	0	3	0
VIII	Diseases of the ear and mastoid process (H60-H95)	2	3	0	5	0.01
IX	Diseases of the circulatory system (I00-I99)	12074	7369	2	19445	19.81
X	Diseases of the Respiratory System (J00-J98)	5349	3102	2	8453	8.61
XI	Diseases of the Digestive System (K00-K92)	3269	1290	2	4561	4.65
XII	Diseases of the skin and subcutaneous tissue (L00 - L98)	27	25	0	52	0.05
XIII	Diseases of the Musculoskeletal system connective tissue (M00-M99)	75	67	0	142	0.14
XIV	Diseases of the Genitourinary System (N00 - N99)	1164	800	1	1965	2
XV	Pregnancy, Childbirth and the puerperium (O00 - O99)	0	146	0	146	0.15
XVI	Certain conditions originating in the perinatal period (P00-P96)	1999	1224	14	3237	3.3
XVII	Congenital Malformations, Deformations & chromosomal abnormalities (Q00-Q99)	438	249	3	690	0.7
XVIII	Symptoms, Signs and abnormal clinical & laboratory findings nec. (R00 - R99)	14608	8315	6	22929	23.36
XIX	Injury, poisoning and certain other consequences of external causes (S00-T98)	2166	1100	0	3266	3.33
XX	External causes of Morbidity and Mortality (V01-Y89)	4889	2528	0	7417	7.56
<b>ALL</b>		<b>61332</b>	<b>36786</b>	<b>35</b>	<b>98153</b>	<b>100</b>

The following diagram will further illustrate the major causes which have accounted for deaths during 2018:-



The cause of death under the category of infectious and parasitic diseases includes deaths due to Cholera, Typhoid, Diarrhea, Gastroenteritis, Tuberculosis, Leprosy, Diphtheria, Tetanus, Septicemia, Hepatitis B, HIV, Malaria etc. During 2018, institutional deaths due to infectious and parasitic diseases were 13522 which work out to 13.78% of the total institutional deaths. Out of this, 20 deaths are due to cholera, 3834 deaths are due to Tuberculosis, 8608 are due to Septicemia, and 20 are due to Hepatitis and remaining were due to other diseases under this category.

Cause of death under the category of neoplasm includes the deaths due to cancer and cancer related diseases. Total number of institutional deaths due to cancerous diseases was 6396 during 2018 which works out to 6.52% of the total institutional deaths. Cancer of oral cavity, digestive organs, respiratory and thorax organs, breast cancer, neoplasm of genitourinary organs, leukemia etc. are the main causes of deaths under this category. Out of 6396 cancer deaths, 908 deaths are due to cancer of oral cavity, 861 deaths are due to cancer of digestive organs, 798 deaths are due to leukemia, 563 deaths are due to cancer of respiratory and intrathoracic organs, 489 deaths are due to cancer of genitourinary organs and 324 deaths are due to breast cancer.

Diseases like thalassaemia, anaemia and disorders involving immune mechanism are included in the category of diseases of the blood and blood forming organs and disorders involving the immune mechanism. During 2018, 881 institutional deaths were reported under this category which works out to 0.90% of the total institutional deaths. Out of 881 deaths, 13 were due to thalassaemia and 610 were due to anaemia.

During 2018; 2848 (1527 males and 1321 females) institutional deaths were due to endocrine, nutritional and metabolic diseases like disorders of thyroid, diabetic mellitus etc. which works out to 2.90% of the total institutional deaths. Out of 2848 deaths, 2205 deaths were due to diabetes mellitus.

During 2018; 2157 (1277 males, 880 females) institutional deaths were due to diseases of the nervous system like meningitis, encephalitis, epilepsy etc. which is 2.20% of the total institutional deaths during the year. Out of 2157 deaths, 656 deaths were due to Meningitis, 199 deaths due to encephalitis and 60 deaths due to epilepsy.

It is observed that the diseases of the circulatory system i.e. heart and heart related diseases account for a major cause of death in Delhi. In this category, chronic rheumatic heart diseases, hypertensive heart diseases, acute myocardial infarction, pulmonary heart diseases, cerebrovascular heart diseases are included. During 2018, this category accounted for 19445 institutional deaths of which 12074 males and 7369 females and 2 were others, which works out to 19.81% of the total institutional deaths during the year. Out of 19445 deaths, 6981 deaths were due to hypertensive diseases, 5705 deaths were due to pulmonary circulation and other forms of heart diseases, 2727 deaths were due to ischaemic heart diseases, 1809 deaths were due to cerebrovascular diseases and 1600 deaths were due to acute rheumatic and chronic rheumatic heart diseases.

Another major cause of death is the diseases of the respiratory system. This includes respiratory infections, bronchitis and acute bronchitis, asthma, influenza, pneumonia etc., which account for 8453 deaths of which 5349 were male deaths and 3102 were female deaths and 2 were others. This cause works out to 8.61% of the total institutional deaths. Out of 8453 deaths, 2049 deaths were due to pneumonia, 511 deaths due to acute bronchitis and acute bronchiolitis and 117 deaths due to asthma.

During 2018; 4561 (3269 males and 1290 females and 2 others) institutional deaths were due to the diseases of the digestive system like gastric and duodenal ulcer, gastroenteritis, appendicitis, hernia, hepatitis, disorder of liver, disorder of pancreas etc. This cause works out to 4.65% of the total institutional deaths. Out of 4561 deaths, 2676 deaths were due to diseases of liver, 335 deaths were due to Peritonitis and 179 deaths were due to disorders of pancreas.

During 2018, the diseases connected with the genitourinary system has accounted for 1965 institutional deaths (1164 males, 800 females and 1 other). It is 2% of the total institutional deaths. Under, this category, 1093 deaths were due to renal failure and 482 deaths were due to other disorder of kidney and ureter.

During 2018, certain conditions originating in the perinatal period have accounted for 3237 deaths of which 1999 male deaths and 1224 female deaths and 14 were other deaths. It is 3.30% of total institutional deaths. The deaths under this group are of infants and are due to complications of pregnancy, slow foetus growth, malnutrition & immaturity, hypoxia, birth asphyxia, infections of pre-natal period, hematological disorders etc. Out of 3237 deaths, 1342 deaths were due to Hypoxia, birth asphyxia and other respiratory conditions and 1311 deaths were due to slow fetal growth, fetal malnutrition and immaturity.

During 2018, symptoms, signs and abnormal clinical and laboratory findings not elsewhere classified have accounted for 22929 deaths (14608 male deaths and 8315 female deaths and 6 others death). Percentage of institutional deaths reported under this category is 23.36%.

During 2018, injury, poisoning and certain other consequences of external causes were responsible for 3266 deaths (2166 males, 1100 females). The main reasons of death under this category were burns and corrosions and later effects of injuries and poisoning and other consequences of external causes. The deaths under this category work out to 3.33% of the total institutional deaths.

## **ANALYSIS OF MEDICALLY CERTIFIED DEATHS BY CAUSES & AGE GROUPS:**

### **Infant Deaths by Major Causes:**


Out of total 145533 deaths, 8639 were infant deaths during 2018. Out of the 8639 infant deaths, 5285 were male infant deaths and 3342 were female infant deaths and 12 were others infant deaths. During 2018, the infant mortality rate works out to 23.81. The neo natal mortality rate is 15.40 and the post natal mortality rate is 8.41. Further, out of 8639 infant deaths 8617 (99.75%) were institutional i.e. MCCD were provided in these cases. The statement No. 2.4 gives the distribution of 8617 institutional infant deaths classified as per leading causes of death.

**Statement No 2.4: Distribution of infant deaths by major causes:**

Sl. No.	Cause of Death & ICD-10 Coding	No. of Infant Deaths				% to total MCCD Infant Deaths
		Male	Female	Others	Total	
1	All other conditions originating in the perinatal period (P00-P04,P08,P29-P54,P56-P57,P60-P96)	312	148	1	461	5.35
2	Hypoxia, birth asphyxia and other respiratory conditions (P20-P28)	663	405	2	1070	12.42
3	Septicemia (A40-A41)	1032	674	1	1707	19.81
4	Slow fetal growth, fetal malnutrition and immaturity (P05-P07)	620	390	5	1015	11.78
5	Pneumonia (J12-J18)	222	160	0	382	4.43
6	Congenital malformations of the circulatory system (Q20-Q28)	175	76	0	251	2.91
7	Shock, not elsewhere classified (R57)	194	110	0	304	3.53
8	Diseases of pulmonary circulation and other forms of heart disease (I26- I58)	165	97	0	262	3.04
9	Meningitis (G00-G03)	60	45	0	105	1.22
10	Tuberculosis (A15-A19)	12	11	0	23	0.27
<b>Total (1 to 10)</b>		<b>3455</b>	<b>2116</b>	<b>9</b>	<b>5580</b>	<b>64.76</b>
<b>All Infant Deaths (MCCD)</b>		<b>5275</b>	<b>3330</b>	<b>12</b>	<b>8617</b>	<b>100.00</b>


It is observed that out of the total institutional infant deaths during the year 2018, 19.81% due to septicaemia, 12.42% due to Hypoxia, birth asphyxia and other respiratory conditions, 11.78% infants died due to slow fetal growth, fetal malnutrition and immaturity, 5.35% due to other conditions originating in the perinatal period, 4.43% due to pneumonia, 3.53% deaths due to shock (n.e.c.), 2.91% due to Congenital malformations of the circulatory system and remaining were due to other causes.

**The pie diagram represents the infant deaths by major causes:**



**Medical Certification of Cause of Deaths by age group:**

The following bar diagram depicts the number of Medical Certification of Cause of Deaths by age groups:



Age group wise analysis of 98153 institutional deaths reflect that during the year 2018 maximum number of deaths i.e. 31472 occurred in the age group of 45-64 years followed by 26466 deaths in the age group of 65 years & above, 18463 deaths in the age groups of 25-44 years.



## **Age group wise analysis of institutional deaths by major group of causes of deaths:**

### **Children aged 1-4 years:**

Out of total institutional deaths, 2.45% (1.36% for males and 1.08% for females) were in this age group. The major group of cause of death wise analysis under this age group shows that the maximum (22.01%) deaths were due to infectious and parasitic diseases followed by 10.11% deaths due to diseases of the respiratory system; 7.82% deaths due to diseases of circulatory system; 7.78% deaths due to injury, poisoning and certain other consequences of external causes; 5.33% deaths due to diseases of the nervous system; 5.20% deaths due to external causes of morbidity and mortality; and 4.54% deaths due to diseases of neoplasm.

### **Children aged 5-14 years:**

Out of total institutional deaths, 3.02% (1.65% for males and 1.37% for females) were in this age group. The major group of cause of death wise analysis under this age group shows that the maximum (27.12%) deaths were due to infectious and parasitic diseases followed by 7.93% deaths due to diseases of the respiratory system; 7.66% deaths due to diseases of the circulatory system; 7.59% deaths due to neoplasms; 7.15% deaths due to diseases of the nervous system; 5.16% deaths due to diseases of the injury, poisoning and certain other consequences of external causes and 4.52% deaths due to external causes of morbidity and mortality.

### **Persons aged 15-24 years:**

Out of total institutional deaths, 6.17% (3.52% for males and 2.65% for females) were in this age group. The major group of cause of death wise analysis under this age group shows that the maximum (20.84%) deaths were due to infectious and parasitic diseases followed by 12.99% deaths due to diseases of the circulatory system; 9.88% deaths due to injury and poisoning and certain other consequences of external causes; 6.87% deaths due to diseases of the respiratory system; 6% deaths due to external causes of morbidity and mortality; 5.34% deaths due to diseases of the neoplasms and 4.41% deaths due to diseases of the digestive system.

It is observed that out of 2601 institutional females deaths in this age group, 124 i.e. 4.77% deaths were due to burns.

**Persons aged 25-34 years:**

Out of total institutional deaths, 8.33% (5.39% for males and 2.94% for females) were in this age group. The major group of cause of death wise analysis under this age group shows that the maximum (16.40%) deaths were due to infectious and parasitic diseases followed by 15.87% deaths due to diseases of the circulatory system; 8.06% deaths due to injury & poisoning and certain other consequences of external causes; 7.59% deaths due to external causes of morbidity and mortality; 6.48% deaths due to diseases of the respiratory system; 6.33% deaths due to diseases of the digestive system and 5.23% deaths due to diseases of the neoplasms. It is observed that out of total 2883 institutional females deaths in the age group, 124 i.e. 4.30% deaths were due to burns.

**Persons aged 35-44 years:**

Out of total institutional deaths, 10.48% (7.40% for males and 3.07% for females) were in this age group. The major group of cause of death wise analysis under this age group shows that the maximum (19.83%) deaths due to diseases of the circulatory system followed by 13.34% deaths were due to infectious and parasitic diseases; 8.24% deaths due to diseases of the digestive system; 8.11% deaths due to diseases of the malignant neoplasms; 7.03% deaths due to external causes of morbidity and mortality; 7.02% deaths due to diseases of the respiratory system; and 5.03% deaths due to diseases of the injury and poisoning and certain other consequences of external causes. It is observed that out of 3014 institutional female deaths in this age group, 78 i.e. 2.59% deaths were due to burns.

**Persons aged 45-54 years:**

Out of total institutional deaths, 14.33% (9.60% for males and 4.73% for females) were in this age group. The major group of cause of death wise analysis under this age group shows that the maximum (24.09%) deaths were due to the diseases of circulatory system; followed by 11.34% deaths were due to infectious and parasitic diseases; 9.12% deaths due to diseases of the malignant neoplasms; 7.87% deaths due to diseases of the respiratory system; 7.24% deaths due to external causes of morbidity and mortality; 6.43% death due to diseases of the digestive system; 3.60% deaths due to endocrine, nutritional & metabolic diseases; 2.45% deaths due to diseases of the genitourinary system and 3.07% deaths due to the injury & poisoning and certain other consequences of external causes.

**Persons aged 55-64 years:**

Out of total institutional deaths, 17.73% (11.26% for males and 6.47% for females) were in this age group. The major group of cause of death wise analysis under this age group shows that the maximum (25.42%) deaths were due to diseases of circulatory system followed by 10.73% deaths due to infectious and parasitic diseases; 9.28% deaths due to diseases of the respiratory system; 8.72% deaths due to diseases of malignant neoplasm; 8.22% deaths due to external causes of morbidity and mortality; 4.72% deaths due to digestive system and 4.30% deaths due to endocrine, nutritional & metabolic diseases.

**Persons aged 65-69 years:**

Out of total institutional deaths, 8.20% (5.09% for males and 3.11% for females) were in this age group. The major group of cause of death wise analysis under this age group shows that the maximum (24.46%) deaths were due to diseases of circulatory system followed by 10.78% deaths due to infectious and parasitic diseases; 10.58% deaths due to diseases of the respiratory system; 9.07% deaths due to external causes of morbidity and mortality; 8.55% deaths due to diseases of the malignant neoplasms; 4.47% deaths due to endocrine; nutritional & metabolic diseases and 3.68% deaths due to diseases of digestive system.

**Persons aged 70 years and above:**

Out of total institutional deaths, 18.76% (10.82% for males and 7.94% for females) were in this age group. The major group of cause of death wise analysis under this age group shows that the maximum (25.37%) deaths were due to diseases of circulatory system followed by 10.86% deaths due to diseases of the respiratory system; 10.82% deaths due to external causes of morbidity and mortality; 10.54% deaths due to infectious and parasitic diseases; 5.07% deaths due to diseases of malignant neoplasms; 3.53% deaths due to endocrine, nutritional & metabolic diseases and 3.10% deaths due to diseases of digestive system.

**Medical Certification of Cause of Death in States/UTs**

The Registrar General, India and the World Health Organization have stressed the need to have a better system of reporting of cause of death along with the death report. Delhi is one of the few States which has successfully implemented the scheme. During the period of 2001-2018, in Delhi, approx. 67% of the total deaths have taken place in hospitals.

The Office of RGI has provided the MCCD data of different States/UTs. The following table reflects the number of MCCDeaths and percentage of these Deaths to Registered Deaths during the years 2014 to 2016:

**Statement No. 2.5: Percentage of Medical Certification of Cause of Deaths to Registered Deaths in States/UTs**

S. No.	Name of State/ UT	No. of Registered Death			*Percentage of Medically Certified Deaths to Total Registered Deaths			
		2014	2015	2016	2014	2015	2016	
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	
1	Andhra Pradesh	306618	310640	313285	13	12.4	15.7	
2	Arunachal Pradesh	2438	3645	2591	17.6	13.8	35.6	
3	Assam	114877	116778	130414	21.9	25.7	26.8	
4	Bihar	152202	204093	177021	10.6	6.6	6.2	
5	Chhattisgarh	172805	168034	182985	9.1	14	17.9	
6	Goa	12692	12738	13130	99.5	100	100	
7	Gujarat	346632	412322	417835	18.2	17.2	17.0	
8	Haryana	163274	168910	181138	-	-	13.8	
9	Himachal Pradesh	39301	41462	35819	13	12.4	15.9	
10	Jammu & Kashmir	37747	36535	36431	-	-	-	
11	Jharkhand	132099	135542	130655	0.8	1.4	3.7	
12	Karnataka	411533	393731	420774	35.5	37.2	34.8	
13	Kerala	248242	252576	256130	12.3	12.8	10.8	
14	Madhya Pradesh	355425	311411	338587	9.5	10	9.7	
15	Maharashtra	669030	673824	666448	34	34.5	20.6	
16	Manipur	6814	3504	-	33.8	59.3	-	
17	Meghalaya	14674	15934	-	30.6	35.8	-	
18	Mizoram	6444	6440	6422	46.4	42.9	41.7	
19	Nagaland	1975	2069	2137	15.3	8.2	9.2	
20	Odisha	312821	321009	345527	13.2	13.7	12.9	
21	Punjab	200768	199461	213578	10.8	15.1	15.1	
22	Rajasthan	397468	409463	416992	13.1	12.5	13.7	
23	Sikkim	3427	3438	3496	41.2	38.4	41.5	
24	Tamilnadu	547579	568271	563625	33.8	40.5	42.0	
25	Telangana	170145	192857	204917	19.5	28.7	26.2	
26	Tripura	9469	10154	10440	66.9	64	38.9	
27	Uttarakhand	34065	44147	48228	12.2	10.6	9.6	
28	Uttar Pradesh	724501	687416	608740	-	-	5.7	
29	West Bengal	388045	403180	445540	1.8	5.2	4.9	
<b>UTs</b>								
1	A & N Islands	2236	2163	2351	50.4	51	55.3	
2	Chandigarh	16378	16203	16570	42.9	41.7	47.8	
3	Dadra & Nagar Haveli	1332	1547	1790	61.4	48	66.1	
4	Daman & Diu	1111	1179	1250	52.4	84.2	78.8	
5	Delhi	121286	124516	141632	55.6	56	57.2	
6	Lakshadweep	352	360	321	98.3	86.9	83.5	
7	Puducherry	12377	12133	12460	77.6	74.4	72.7	

\* Excluding external causes of morbidity and mortality.

**-: SECTION THREE :-**

**TIME SERIES ANALYSIS**

**OF**

**MEDICALLY**

**CERTIFIED CAUSE OF**

**DEATH**

## SECTION THREE

### TIME SERIES ANALYSIS OF MEDICALLY CERTIFIED CAUSE OF DEATH

Analysis of the trend in death registration in Delhi during the period 2001 to 2018 has been presented in this Section, caused due to specific diseases like heart attack, cancer, tuberculosis, pneumonia and diabetic mellitus etc.

#### Medical Certification of Cause of Deaths (2001-2018)


It is observed that during the period from 2001-2018, the level of institutional deaths in Delhi varied between 52.18 to 70.11 percent. The lowest level i.e. 52.18% institutional deaths were reported during the year 2002 and the maximum level i.e. 70.11% were reported during 2013. During the year 2003, the notification was issued making it mandatory for providing cause of death for every institutional death in Delhi. Following table shows the percentage distribution of medically certified cause of deaths i.e. the proportion of institutional deaths to total deaths.

#### Statement No 3.1: Distribution of Institutional Deaths during pre and post MCCD Notification (Year-2003):

Year	Total Deaths	Institutional Deaths	Percentage
<b>A. Prior to Notification</b>			
2001	81100	45034	55.53
2002	86176	44965	52.18
<b>B. After Notification</b>			
2003	87743	48473	55.24
2004	85378	48559	56.88
2005	94187	56390	59.87
2006	98908	60254	60.92
2007	100974	59256	58.68
2008	107600	57122	53.09
2009	112013	68373	61.04
2010	124353	76373	61.42
2011	112142	68326	60.93
2012	104616	67856	64.86
2013	97185	68135	70.11
2014	121286	74592	61.5
2015	124516	78067	62.7
2016	141632	90517	63.91
2017	136117	89377	65.66
2018	145533	98153	67.44

From the table, it is clear that the total number of deaths in Delhi has increased from 81100 in the year 2001 to 145533 in the year 2018. It may be observed that during the year 2007 to 2012 and 2014 to 2018, the number of deaths in Delhi were above one lac. During the period of 2001 to 2018, the lowest number of deaths i.e. 81100 were reported in 2001 and the highest number i.e. 145533 were reported in 2018. It is also observed that the proportion of institutional deaths to total deaths was in the range of 52 to 60 percent during 2001 to 2008 and above 60% from the year 2009. However, this proportion was maximum to the level of 70 percent during 2013 which reflect that the families of the deceased have tried their best to get the treatment by admitting them in hospitals.

**The following diagram will show the trend in institutional deaths in Delhi:**



The graph depicts percentage distribution of institutional deaths, which is varying between 61 to 70 percent during 2009 to 2018.

### Local Body wise Institutional Deaths

The Municipal Corporation of Delhi has been trifurcated in to three local bodies i.e. North/South/East Delhi Municipal Corporation w.e.f. April 2012 and due to this fact the death events occurred and registered in municipal corporation area in 2015 have been reflected in three local bodies. Therefore, the information of registered institutional death events has been given in r/o five local bodies for 2018 including NDMC & Delhi Cantonment Board.

The following table shows the local body wise details of institutional deaths in Delhi during the period from 2001 to 2018:


**Statement No 3.2 Distribution of Institutional Deaths Local body wise:**

Institutional Deaths				
Year	MCD	NDMC	DCB	Total
2001	29117	14866	1051	45034
2002	27632	16192	1141	44965
2003	31981	15195	1297	48473
2004	32892	14316	1351	48559
2005	36250	18744	1396	56390
2006	40226	18804	1224	60254
2007	37379	20388	1489	59256
2008	36366	19187	1569	57122
2009	44818	22249	1306	68373
2010	53519	21591	1263	76373
2011	45923	20994	1409	68326
2012	43944	22373	1539	67856

Year	North DMC (i)	South DMC (ii)	East DMC (iii)	Total MCD (i)+(ii)+(iii)	NDMC	DCB	Total
2013	21136	12282	11139	44557	22070	1508	68135
2014	23973	15197	12042	51212	21754	1626	74592
2015	25243	15536	11955	52734	23524	1809	78067
2016	27962	18611	14977	61550	27164	1803	90517
2017	28133	17582	14623	60338	27422	1617	89377
2018	28485	19726	16647	64858	31380	1915	98153

The time series given in statement 3.2 shows that 1961459 deaths were registered in Delhi during the period from 2001 to 2018 and out of these 61.17% were institutional deaths. The local body wise analysis of proportion of institutional deaths during 2018 reflect that maximum i.e. 31.97% in NDMC followed by 29.02% occurs in North DMC, 20.10% in South DMC, 16.96% in East DMC and 1.95% in DCB. Evidently, maximum institutional deaths were in NDMC. It may be observed that before the year 2013 the maximum deaths vis-a-vis institutional deaths were always in the then MCD due to jurisdiction over large area.

The following diagram will make clear the trend regarding institutional deaths in MCD, NDMC and DCB areas:






### Sex-wise and age-wise analysis of institutional deaths during 2001-2018:

The following table shows the number of institutional deaths sex-wise during the period 2001-2018:

**Statement No 3.3: Distribution of Institutional Deaths by sex:**

Year	Male	Female	Other	Total	Ratio of Male deaths to Female deaths
2001	28178	16856	N.A.	45034	1.67
2002	27445	17520	N.A.	44965	1.57
2003	29779	18694	N.A.	48473	1.59
2004	30054	18505	N.A.	48559	1.62
2005	35089	21301	N.A.	56390	1.65
2006	40475	19779	N.A.	60254	2.05
2007	37341	21915	N.A.	59256	1.70
2008	36373	20149	N.A.	57122	1.81
2009	42808	25565	N.A.	68373	1.67
2010	48032	28341	N.A.	76373	1.69
2011	42770	25556	N.A.	68326	1.67
2012	42452	25404	N.A.	67856	1.67
2013	42367	25768	N.A.	68135	1.64
2014	47001	27591	N.A.	74592	1.70
2015	48485	29582	N.A.	78067	1.64
2016	56806	33684	27	90517	1.69
2017	55694	33654	29	89377	1.65
2018	61332	36786	35	98153	1.67

From the table, it is clear that during the period 2001-2018 there is the trend of more male deaths compared to female deaths. The maximum difference in number of male deaths to female deaths has been noticed during the year 2018 whereas it is the minimum during the year 2002. The ratio of male deaths to female deaths varied from 1.57 to 2.05.



It is observed from the statement 3.3 that during the period both male institutional deaths as well as female deaths have an increase. The number of male deaths has increased from 28178 in 2001 to 61332 in 2018, whereas the number of female deaths has increased from 16856 in 2001 to 36786 in 2018. Obviously, the percentage increase in number of male deaths is 117.66% and it is 118.24% in number of female deaths.

The age-wise analysis of the institutional deaths will make the picture clearer. For the purpose of the study, 5 age-groups are taken into consideration i.e. 14 years and below, 15-24, 25-44, 45-64, 65 years and above.

The following table shows the age-wise details of institutional deaths occurred during the period from 2001-2018:

**Statement No 3.4: Distribution of Institutional Deaths age group wise:**

<b>Age group wise % of MCCDeaths</b>							
<b>year</b>	<b>14 &amp; below</b>	<b>15-24</b>	<b>25-44</b>	<b>45-64</b>	<b>65 &amp; above</b>	<b>Age Not Stated</b>	<b>All</b>
2001	25.35	8.52	20.65	24.60	18.38	2.50	100.00
2006	21.82	9.96	21.24	26.38	20.40	0.20	100.00
2007	22.01	8.38	20.27	27.58	21.76	0.00	100.00
2008	16.74	7.83	22.65	31.25	21.43	0.10	100.00
2009	18.25	8.53	22.60	29.12	21.43	0.07	100.00
2010	17.04	8.24	21.16	30.85	22.71	0.00	100.00
2011	18.39	8.11	20.56	29.79	23.15	0.00	100.00
2012	18.82	7.61	20.43	30.09	23.05	0.00	100.00
2013	17.81	7.48	20.16	30.71	23.84	0.00	100.00
2014	16.25	6.89	19.48	31.74	24.93	0.71	100.00
2015	16.65	6.83	19.85	31.62	24.95	0.10	100.00
2016	14.13	6.32	18.79	31.24	26.83	2.69	100.00
2017	14.06	6.42	19.01	32.05	25.63	2.83	100.00
2018	14.25	6.17	18.81	32.06	26.96	1.75	100.00


The age group wise analysis of institutional deaths reflect that in the age group of 14 years and below the percentage of institutional deaths to total institutional deaths during the period 2001-2018 has come down from 25.35% to 14.25%. It is also observed that almost similar pattern exist in r/o percentage of institutional deaths in the age group of 15-24 years and 25-44 years to total institutional deaths during the period 2001 to 2018. On the other hand, it has increased from 24.60% to 32.06% in the age group of 45-64 years and from 18.38% to 26.96 % in the age group of 65 years & above and it indicate that the sick people of these age groups admitted in the hospital in large number than other age groups for getting treatment.

## Institutional infant deaths during the period 2001-2018:

During the period 2001-2018, the trend of institutional infant deaths may be observed from the following table:-

**Statement No 3.5: Distribution of Institutional Infant Deaths by sex:**

Year	Infant Deaths			Total
	Male	Female	Other	
2001	4425	2583	N.A.	7008
2002	2937	1742	N.A.	4679
2003	2677	1773	N.A.	4450
2004	2553	1450	N.A.	4003
2005	2640	1431	N.A.	4071
2006	3489	2134	N.A.	5623
2007	5005	3016	N.A.	8021
2008	3533	2177	N.A.	5710
2009	4003	2685	N.A.	6688
2010	4780	3022	N.A.	7802
2011	4614	2957	N.A.	7571
2012	5307	3262	N.A.	8569
2013	4992	3241	N.A.	8233
2014	4923	3067	N.A.	7990
2015	5243	3369	N.A.	8612
2016	4979	3028	8	8015
2017	4667	2894	8	7569
2018	5275	3330	12	8617



## Major causes of death during 2001-2018:

The following table shows the number of deaths due to heart attack and related heart diseases during 2001-2018 as compared to institutional deaths:

**Statement No 3.6: Institutional deaths due to heart attack and related heart diseases:**

Year	No. of Deaths due to heart attack	No. of Deaths in Hospitals	Hospitals deaths (in % age)
2001	8136	6960	85.55
2002	11892	7266	61.1
2003	11721	9577	81.71
2004	12669	9976	78.74
2005	8576	6448	75.19
2006	8836	6848	77.5
2007	15442	13476	87.27
2008	15876	12949	81.56
2009	16158	13904	86.05
2010	8236	8215	99.75
2011	10694	8435	78.88
2012	11724	9420	80.35
2013	11522	9617	83.47
2014	10880	9455	86.9
2015	12680	11875	93.65
2016	16665	15919	95.52
2017	17840	17203	96.43
2018	20169	19445	96.41

During the period 2001-2018, 229716 deaths (149551 male, 80159 female and 6 others) in Delhi were due to heart attack and heart related diseases. Out of this 196988 (85.75%) were occurred in hospitals. The maximum numbers of 20169 deaths were reported in 2018 and the minimum numbers of 8136 deaths were reported in 2001.

It is observed that out of total deaths due to heart diseases during 2001-2018 the proportion of institutional deaths varied between 61.10% to 99.75%. The maximum number of 19445 institutional deaths due to heart diseases was reported in 2018 whereas the lowest number of 6448 institutional deaths was reported in 2005.

Age group wise & Sex wise breakup of institutional deaths due to heart attack/diseases during 2001-2018 may be seen in the statement No. 3.7:

**Statement No 3.7: Distribution of Institutional Deaths due to heart attack/diseases by sex & age group:**

Age Group (in years)	Male	%age	Female	%age	Total	%age
<b>14 and below</b>	7841	6.30	4843	6.68	12684	6.44
<b>15-24</b>	5996	4.82	4220	5.82	10216	5.19
<b>25-44</b>	22958	18.44	12032	16.60	34990	17.76
<b>45-64</b>	48455	38.92	24355	33.61	72810	36.96
<b>65 &amp; above</b>	38641	31.03	26603	36.71	65244	33.12
<b>Not stated</b>	619	0.50	419	0.58	1038	0.53
<b>Total</b>	<b>124510</b>	<b>100.00</b>	<b>72472</b>	<b>100.00</b>	<b>196982</b>	<b>100.00</b>

\* The figure 196982 excludes 2 cases of others.

The institutional deaths due to heart attack/diseases are the maximum in the age group of 45-64 years followed by 65 years & above age group and 25 to 44 years age group. During 2001-2018, 72810 persons died due to heart attack in the age group of 45 to 64 years, 65244 in the age group of 65 years & above and 34990 in the age group of 25 to 44 years.

Sex group wise analysis reflect that in case of male the deaths due to heart attack/diseases are maximum in the age group of 45-64 years whereas in female it is maximum in the age group of 65 years and above. The analysis indicate that in the age group of 45-64 years number of male deaths due to heart attack/diseases is approximately double of female deaths. Approx. 39% of the total male deaths due to heart attack/diseases deaths in males occur in the age group of 45-64 years.

**Institutional deaths due to Pneumonia:**

The following table shows the total deaths due to pneumonia and out of these numbers of deaths occurred in hospitals in Delhi during the period 2001-2018:

**No 3.8: Institutional deaths due to Pneumonia:**

Year	No. of Deaths due to Pneumonia	No. of Deaths in Hospitals	Hospitals deaths (in% age)
2001	1205	1200	99.58
2002	2250	1956	86.93
2003	2182	1753	80.34
2004	1234	1119	90.68
2005	1503	1294	86.09
2006	868	810	93.37
2007	879	818	93.06
2008	1539	1357	88.17
2009	1593	1449	90.96
2010	2201	2185	99.27
2011	1598	1581	98.94
2012	1613	1595	98.88
2013	1547	1539	99.48
2014	1441	1438	99.79
2015	1950	1943	99.64
2016	1989	1959	98.49
2017	1649	1643	99.64
2018	2051	2049	99.90

The analysis of data reveals that the maximum number of 2250 deaths due to pneumonia was reported in 2002 and the minimum number of 868 deaths was reported in 2006.

The institutional deaths out of total deaths due to pneumonia varied between 80.34% to 99.90% during the 2001- 2018. The maximum number of 2185 institutional deaths due to pneumonia was reported in 2010 whereas the lowest number of 810 institutional deaths was reported in 2006.

Age group wise & Sex wise occurrence of institutional deaths due to pneumonia during 2001-2018 may be seen in the following table:

**Statement No 3.9: Distribution of Institutional Deaths due to Pneumonia by sex & age group:**

Age Group (in years)	Male	%age	Female	%age	Total	%age
<b>14 and below</b>	6051	36.00	4271	39.26	10322	37.28
<b>15-24</b>	1061	6.31	934	8.58	1995	7.21
<b>25-44</b>	2416	14.37	1402	12.89	3818	13.79
<b>45-64</b>	3653	21.74	2024	18.60	5677	20.50
<b>65 &amp; above</b>	3502	20.84	2177	20.01	5679	20.51
<b>Not stated</b>	124	0.74	72	0.66	196	0.71
<b>Total</b>	<b>16807</b>	<b>100.00</b>	<b>10880</b>	<b>100.00</b>	<b>27687</b>	<b>100.00</b>

The institutional deaths due to pneumonia are the maximum in the age group of 14 years and below followed by 65 & above age group and 45-64 years age group. During the 2001-2018, 10322 persons died of pneumonia in the age group of 14 years and below, 5679 in the age group of 65 years & above and 5677 in the age group of 45-64 years.

The sexwise analysis of deaths due to pneumonia reflects that maximum deaths were in the age group of 14 years and below in case of both i.e. males and females. Evidently, the statement 3.9 indicates that out of total institutional deaths due to Pneumonia, approx. 37% deaths were in the age group of 14 years and below.

**Institutional deaths due to Tuberculosis:**

The following table shows the total deaths due to tuberculosis and out of these numbers of deaths occurred in hospitals in Delhi during the period 2001-2018:

**Statement No 3.10: Institutional deaths due to Tuberculosis:**

Year	No. of Deaths due to Tuberculosis	No. of Deaths in Hospitals	Hospitals deaths (in %age)
2001	1881	1473	78.31
2002	4683	3554	75.89
2003	4924	3597	73.05
2004	2315	1987	85.83
2005	3618	3279	90.63
2006	3510	3064	87.29
2007	2516	2018	80.21
2008	2632	2139	81.27
2009	2558	2251	87.99
2010	3446	3065	88.94
2011	3968	3603	90.80
2012	3496	3118	89.19
2013	3662	3239	88.45
2014	4930	4350	88.24
2015	4265	3635	85.23
2016	4448	3733	83.93
2017	4131	3656	88.50
2018	4315	3834	88.85

The analysis of data reveals that the maximum number of 4930 deaths due to tuberculosis was reported in 2014 and the minimum number of 1881 deaths was reported in 2001.

The institutional deaths due to tuberculosis varied between 73.05% to 90.80% during the years 2001-2018. The maximum numbers of 4350 institutional deaths due to tuberculosis were reported in 2014 whereas the lowest numbers of 1473 institutional deaths were reported in 2001.

Age group-wise & Sex wise occurrence of institutional deaths due to tuberculosis during 2001-2018 may be seen in the following table:

**Statement No 3.11: Distribution of Institutional Deaths due to tuberculosis by sex & age group**

<b>Age Group (in years)</b>	<b>Male</b>	<b>%age</b>	<b>Female</b>	<b>%age</b>	<b>Total</b>	<b>%age</b>
<b>14 and below</b>	1902	5.18	2014	10.66	3916	7.04
<b>15-24</b>	3722	10.14	4248	22.49	7970	14.34
<b>25-44</b>	11798	32.14	5612	29.72	17410	31.32
<b>45-64</b>	13256	36.11	4561	24.15	17817	32.05
<b>65 &amp; above</b>	5882	16.02	2349	12.44	8231	14.80
<b>Not stated</b>	150	0.41	101	0.54	251	0.45
<b>Total</b>	<b>36710</b>	<b>100.00</b>	<b>18885</b>	<b>100.00</b>	<b>55595</b>	<b>100.00</b>

The institutional deaths due to tuberculosis are maximum in the age group of 45-64 years followed by 25-44 years age group and 65 years and above age group. During 2001-2018, 17817 persons died of tuberculosis in the age group of 45-64 years, 17410 in the age group of 25-44 years and 8231 in the age group of 65 years and above.

The sex groupwise analysis shows that out of total male deaths due to tuberculosis the maximum (36.11%) are in the age group of 45-64 years whereas in females it is maximum (29.72%) in the age group of 25-44 years. It is observed that the occurrence of tuberculosis in males in the age group of 45-64 years is approx. triple than that of tuberculosis in females in this age group.

**Institutional deaths due to Cancer:**

The following table shows the total deaths due to cancer and out of these numbers of deaths occurred in hospitals in Delhi during the period 2001-2018:

**Statement No 3.12: Institutional deaths due to Cancer:**

Year	No. of Deaths due to Cancer	No. of Deaths in Hospitals	Hospitals Deaths (in% age)
2001	1117	977	87.47
2002	1552	871	56.12
2003	1489	948	63.67
2004	1533	1093	71.3
2005	2009	1545	76.9
2006	2060	1471	71.41
2007	2597	1911	73.58
2008	3070	2204	71.79
2009	3936	3227	81.99
2010	5728	5436	94.9
2011	9925	9266	93.36
2012	6444	5772	89.57
2013	5570	4109	73.77
2014	5686	5479	96.36
2015	4994	4666	93.43
2016	5742	4812	83.80
2017	5281	5162	97.75
2018	6514	6396	98.19

The analysis of data reveals that the maximum number of 9925 deaths due to cancer were reported in 2011 and the minimum number of 1117 deaths were reported in 2001.

The institutional deaths due to cancer varied between 56.12% to 98.19% during 2001-2018. The maximum number of 9266 institutional deaths due to cancer were reported in 2011 whereas the lowest number of 871 institutional deaths were reported in 2002.

Age group wise & sexwise occurrence of institutional deaths due to cancer during the period 2001-2018 may be seen in the following table:

**Statement No 3.13: Distribution of Institutional Deaths due to Cancer by sex & age group**

Age Group (in years)	Male	%age	Female	%age	Total	%age
<b>14 and below</b>	3785	9.60	2145	8.28	5930	9.07
<b>15-24</b>	2923	7.41	1445	5.58	4368	6.68
<b>25-44</b>	7871	19.95	5723	22.10	13594	20.80
<b>45-64</b>	15461	39.20	11065	42.72	26526	40.60
<b>65 &amp; above</b>	9152	23.20	5371	20.74	14523	22.23
<b>Not stated</b>	251	0.64	151	0.58	402	0.62
<b>Total</b>	<b>39443</b>	<b>100.00</b>	<b>25900</b>	<b>100.00</b>	<b>65343</b>	<b>100.00</b>

The institutional deaths due to cancer are the maximum in the age group of 45-64 years followed by 65 years and above age group and 25-44 years age group. During 2001-2018, out of total deaths due to cancer, the maximum (40.60%) deaths were occurred in the age group of 45-64 years, 22.23% deaths in the age group of 65 years & above and 20.80% deaths in the age group of 25-44 years



The sex groupwise analysis shows that out of total deaths due to cancer, in case of both i.e. the males & females the maximum deaths are in the age group of 45-64 years followed by 65 years & above.

**Institutional deaths due to Diabetic Mellitus:**

The following table shows the total deaths due to diabetic mellitus and out of these number of deaths occurred in hospitals in Delhi during the period 2001-2018:

**Statement No 3.14: Institutional deaths due to Diabetic Mellitus:**

Year	No. of Deaths due to Diabetic Mellitus	No. of Deaths in Hospitals	Hospitals Deaths (in %age)
2001	620	566	91.29
2002	657	591	89.95
2003	757	640	84.54
2004	782	640	81.84
2005	1133	1052	92.85
2006	5296	5118	96.64
2007	3920	3761	95.94
2008	4626	3986	86.17
2009	4671	4451	95.29
2010	1379	1267	91.88
2011	1642	1528	93.06
2012	1623	1518	93.53
2013	2025	1921	94.86
2014	1859	1762	94.78
2015	1459	1356	92.94
2016	2638	2557	96.93
2017	2615	2561	97.93
2018	2286	2205	96.46

It is observed that the maximum number of 5296 deaths were reported in 2006 and the minimum number of 620 deaths were reported in 2001. The institutional deaths due to diabetic mellitus varied between 81.84% to 97.93% during the years 2001-2018.

Age group wise & sex wise occurrence of institutional deaths due to Diabetic Mellitus during 2001-2018 may be seen in the following table:-

**Statement No 3.15: Distribution of Institutional Deaths due to Diabetic Mellitus by sex & age group:**

Age Group (in years)	Male	%age	Female	%age	Total	%age
14 and below	2374	11.30	1719	10.44	4093	10.92
15-24	779	3.71	643	3.91	1422	3.79
25-44	2337	11.12	1863	11.31	4200	11.21
45-64	8325	39.62	6287	38.18	14612	38.99
65 & above	7142	33.99	5910	35.89	13052	34.82
Not stated	56	0.26	45	0.27	101	0.27
<b>Total</b>	<b>21013</b>	<b>100.00</b>	<b>16467</b>	<b>100.00</b>	<b>37480</b>	<b>100.00</b>

The institutional deaths due to diabetic mellitus are the maximum in the age group 45-64 years followed by 65 years & above age group. During 2001-2018, out of total institutional deaths due to diabetic mellitus, the maximum (38.99%) deaths were in the age group of 45-64 years and 34.82% deaths in the age group of 65 years & above. From the statement 3.15, it is observed that the proportion of deaths due to diabetic mellitus in the age group of 14 years and below years is higher than the deaths in the age group of 15-24 years and 25-44 years.

The sex wise analysis reflect that the maximum (39.62%) males deaths due to diabetic mellitus are in the age group of 45-64 years while for females it is maximum (38.18%) in the age groups of 45-64 years.

#### **Institutional Burns deaths by Age and Sex:**

The sex wise and age groupwise number of institutional deaths due to burns during the period 2001-2018 are given in the following table:-

**Statement No 3.16: Distribution of Medically Certified Deaths Due to Burns by Sex and Age Group:-**

Year	14 years and below		15-24 Years		25-44 Years		45-64 Years		65 & Above		Not Stated		Total		
	M	F	M	F	M	F	M	F	M	F	M	F	Total Male	Total Female	Total
2001	81	85	119	224	191	334	47	45	45	58	-	-	483	746	1229
2002	27	33	57	100	84	132	28	24	32	58	-	-	228	347	575
2003	32	35	37	45	54	132	28	24	32	58	-	-	183	294	477
2004	44	37	69	158	122	155	33	18	4	4	-	-	272	372	644
2005	76	65	104	207	177	229	73	60	31	42	-	-	461	603	1064
2006	57	52	114	149	193	180	68	39	20	10	-	-	453	430	883
2007	65	44	64	166	148	209	40	37	12	17	-	-	329	473	802
2008	20	36	57	158	146	194	111	45	48	28	-	-	384	461	845
2009	40	48	98	169	172	251	58	38	10	16	-	-	378	524	902
2010	66	49	142	248	228	385	85	62	14	19	-	-	535	763	1298
2011	48	55	145	280	238	398	70	50	11	29	-	-	512	812	1324
2012	94	75	136	286	254	411	68	57	17	24	-	-	569	853	1422
2013	87	58	118	277	207	318	74	57	11	25	-	-	497	735	1232
2014	106	81	127	241	241	308	76	75	22	33	-	-	572	738	1310
2015	92	84	121	162	236	338	76	68	22	40	-	-	547	692	1239
2016	69	83	116	209	195	284	67	68	18	35	14	22	479	701	1180
2017	61	67	97	134	159	187	68	63	18	38	13	9	416	498	914
2018	64	42	73	124	152	202	65	60	17	27	8	9	379	464	843
<b>Total</b>	<b>1037</b>	<b>1029</b>	<b>1794</b>	<b>3337</b>	<b>3197</b>	<b>4647</b>	<b>1135</b>	<b>890</b>	<b>384</b>	<b>561</b>	<b>35</b>	<b>40</b>	<b>7677</b>	<b>10506</b>	<b>18183</b>

During the period 2001 to 2018 total burn deaths in Delhi are 18183. Out of which 7677 are male deaths and 10506 are female deaths. Obviously, the numbers of female burn deaths are much higher than that of the male burn deaths. During the period 2001 to 2018, maximum number of burn deaths i.e. 1422 was reported in the year 2012 and the least number of burn deaths i.e. 477 were reported in the year 2003.

The age-wise analysis of the deaths due to burn shows that the maximum number of burn deaths were occurred in age group of 25-44 years followed by 15-24 years and in both the age groups, the number of female deaths are much higher than the male deaths in the concerned age group. The institutional burn deaths in the age group of 25-44 years are 43.14% followed by 28.22% in the age group of 15-24 years.

\* \* \*

**-: SECTION FOUR :-**  
**STATISTICAL TABLES**

Table -1														
DEATHS BY CAUSE OF DEATHS, AGE AND SEX FOR MEDICALLY CERTIFIED DEATHS - 2018														
AGE IN YEARS														
SL. No.	NAME OF THE DISEASE	SEX	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-69	>=70	NOT STATED	TOTAL
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)
I	<b>CERTAIN INFECTIOUS AND PARASITIC DISEASES (A00-B99)</b>													
I	CERTAIN INFECTIOUS AND PARASITIC DISEASES (A00-B99)	M	1092	287	365	615	813	949	1105	1215	554	1113	71	8179
		F	718	242	439	646	528	423	490	653	314	828	58	5339
		O	1	0	0	0	0	0	0	0	0	0	0	3
1	INTESTINAL INFECTIOUS DISEASES (A00-A09)	M	29	13	2	7	14	10	17	10	6	18	3	129
		F	18	12	5	5	3	9	9	13	4	14	1	93
		O	0	0	0	0	0	0	0	0	0	0	0	0
1	Cholera (A00)	M	2	0	0	0	1	1	3	0	3	3	0	13
		F	0	2	0	0	0	1	0	1	1	2	0	7
		O	0	0	0	0	0	0	0	0	0	0	0	0
2	Typhoid and paratyphoid fevers(A01)	M	1	1	0	0	1	1	0	2	0	1	0	7
		F	0	1	2	1	1	3	0	0	1	0	0	9
		O	0	0	0	0	0	0	0	0	0	0	0	0
3	Food Poisoning (A02,A05)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		O	0	0	0	0	0	0	0	0	0	0	0	0
4	Shigellosis (A03)	M	0	0	0	0	0	0	3	1	2	1	1	8
		F	0	0	0	0	0	1	1	0	0	2	0	4
		O	0	0	0	0	0	0	0	0	0	0	0	0
5	Amoebiasis (A06)	M	0	0	0	0	0	1	0	1	0	0	0	2
		F	0	0	0	0	0	0	1	0	0	0	0	1
		O	0	0	0	0	0	0	0	0	0	0	0	0
6	Diarrhoea and gastroenteritis of presumed infectious origin (A09)	M	26	11	2	6	12	7	8	6	1	13	2	94
		F	18	8	3	4	2	4	7	12	2	10	1	71
		O	0	0	0	0	0	0	0	0	0	0	0	0
7	Other intestinal infectious diseases (A04,A07-A08)	M	0	1	0	1	0	0	3	0	0	0	0	5
		F	0	1	0	0	0	0	0	0	0	0	0	1
		O	0	0	0	0	0	0	0	0	0	0	0	0
2	Tuberculosis (A15-A19)	M	12	31	48	259	385	433	483	467	194	229	8	2549
		F	11	22	115	307	203	166	147	149	46	114	5	1285
		O	0	0	0	0	0	0	0	0	0	0	0	0
1	Respiratory Tuberculosis (A15-16)	M	10	8	18	220	335	377	425	431	178	210	2	2214
		F	6	14	74	255	158	139	130	131	42	104	3	1056
		O	0	0	0	0	0	0	0	0	0	0	0	0

Table -1															
DEATHS BY CAUSE OF DEATHS, AGE AND SEX FOR MEDICALLY CERTIFIED DEATHS - 2018															
AGE IN YEARS															
SL. No.	NAME OF THE DISEASE	SEX	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-69	>=70	NOT STATED	TOTAL	
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	
2	Tuberculosis of nervous system (A17)	M	2	15	14	21	20	19	17	9	4	6	1	128	
		F	4	6	13	16	13	6	10	2	1	6	2	79	
		O	0	0	0	0	0	0	0	0	0	0	0	0	0
3	Tuberculosis of other organs & miliary Tuberculosis (A18-A19)	M	0	8	16	18	30	37	41	27	12	13	5	207	
		F	1	2	28	36	32	21	7	16	3	4	0	150	
		O	0	0	0	0	0	0	0	0	0	0	0	0	0
3	Other bacterial diseases (A20-A49)	<b>M</b>	<b>1037</b>	<b>226</b>	<b>266</b>	<b>292</b>	<b>358</b>	<b>445</b>	<b>569</b>	<b>693</b>	<b>336</b>	<b>841</b>	<b>58</b>	<b>5121</b>	
		<b>F</b>	<b>679</b>	<b>196</b>	<b>283</b>	<b>304</b>	<b>285</b>	<b>214</b>	<b>313</b>	<b>470</b>	<b>254</b>	<b>690</b>	<b>50</b>	<b>3738</b>	
		<b>O</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>3</b>	<b>4</b>	
1	Plague (A20)	M	0	1	0	0	0	3	0	0	0	2	0	6	
		F	0	0	0	1	0	0	0	1	0	0	0	2	
		O	0	0	0	0	0	0	0	0	0	0	0	0	0
2	Leprosy (A30)	M	0	0	0	0	0	1	4	2	0	1	0	8	
		F	0	0	0	0	0	0	0	0	0	0	0	0	0
		O	0	0	0	0	0	0	0	0	0	0	0	0	0
3	Neontorum Tetanus (A33)	M	2	0	0	0	0	0	0	0	0	0	0	2	
		F	3	0	0	0	0	0	0	0	0	0	0	2	5
		O	0	0	0	0	0	0	0	0	0	0	0	0	0
4	Other Tetanus (A34-A35)	M	1	0	4	3	2	3	2	1	1	1	0	18	
		F	0	0	0	0	1	2	0	1	0	1	0	5	
		O	0	0	0	0	0	0	0	0	0	0	0	0	0
5	Diphtheria (A36)	M	1	19	77	3	0	0	0	2	0	0	0	102	
		F	0	18	61	1	0	1	1	1	0	0	0	83	
		O	0	0	0	0	0	0	0	0	0	0	0	0	0
6	Whooping cough (A37)	M	0	0	1	0	0	0	0	0	0	1	0	2	
		F	0	0	0	0	0	0	0	0	0	0	0	0	0
		O	0	0	0	0	0	0	0	0	0	0	0	0	0
7	Meningococcal infection (A39)	M	1	0	0	0	0	0	0	1	1	0	0	3	
		F	1	0	0	0	0	0	0	0	0	0	0	1	
		O	0	0	0	0	0	0	0	0	0	0	0	0	0

<b>Table -1</b>															
<b>DEATHS BY CAUSE OF DEATHS, AGE AND SEX FOR MEDICALLY CERTIFIED DEATHS - 2018</b>															
<b>AGE IN YEARS</b>															
<b>SL. No.</b>	<b>NAME OF THE DISEASE</b>	<b>SEX</b>	<b>&lt;1</b>	<b>1-4</b>	<b>5-14</b>	<b>15-24</b>	<b>25-34</b>	<b>35-44</b>	<b>45-54</b>	<b>55-64</b>	<b>65-69</b>	<b>&gt;=70</b>	<b>NOT STATED</b>	<b>TOTAL</b>	
<b>(1)</b>	<b>(2)</b>	<b>(3)</b>	<b>(4)</b>	<b>(5)</b>	<b>(6)</b>	<b>(7)</b>	<b>(8)</b>	<b>(9)</b>	<b>(10)</b>	<b>(11)</b>	<b>(12)</b>	<b>(13)</b>	<b>(14)</b>	<b>(15)</b>	
8	Septicaemia (A40-A41)	M	1032	206	183	286	353	437	563	685	332	835	58	4970	
		F	674	178	222	301	284	211	312	465	253	686	48	3634	
		O	1	0	0	0	0	0	0	0	0	0	0	3	4
9	All other types of bacterial Diseases (A21-A28,A31-A32,A38,A42-A49)	M	0	0	1	0	3	1	0	2	2	1	0	10	
		F	1	0	0	1	0	0	0	2	1	3	0	8	
		O	0	0	0	0	0	0	0	0	0	0	0	0	0
4	Infections with a predominantly sexual mode of transmission (A50-A64)	M	0	0	0	0	0	0	0	0	0	0	0	0	
		F	0	0	0	0	0	0	0	0	0	0	1	0	1
		O	0	0	0	0	0	0	0	0	0	0	0	0	0
1	Syphilis (A50-53)	M	0	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0	0
		O	0	0	0	0	0	0	0	0	0	0	0	0	0
2	Other Types of infections with a predominatly sexual mode of transmission (A54-A64)	M	0	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	1	0	1
		O	0	0	0	0	0	0	0	0	0	0	0	0	0
5	Viral diseases (A70-A74 & A80-B34)	M	12	13	40	41	37	50	25	28	13	15	0	274	
		F	9	9	27	19	26	21	14	14	5	1	2	147	
		O	0	0	0	0	0	0	0	0	0	0	0	0	0
1	Acute Poliomyelitis (A80)	M	0	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0	0
		O	0	0	0	0	0	0	0	0	0	0	0	0	0
2	Rabies (A82)	M	0	0	2	3	1	6	1	0	0	0	0	0	13
		F	0	0	0	0	0	1	1	1	0	0	0	0	3
		O	0	0	0	0	0	0	0	0	0	0	0	0	0
3	Japanese encephalitis (A83.0)	M	0	0	1	1	0	0	0	1	0	0	0	0	3
		F	0	0	1	0	1	0	0	0	0	0	0	0	2
		O	0	0	0	0	0	0	0	0	0	0	0	0	0
4	Other Viral encephalitis (A83.1-A83.9, A84-A86)	M	6	9	12	1	2	2	0	2	0	2	0	36	
		F	3	6	7	1	1	0	0	2	0	1	1	22	
		O	0	0	0	0	0	0	0	0	0	0	0	0	0
5	Dengue fever (A90)*	M	1	0	11	12	4	3	6	4	1	4	0	46	
		F	0	1	10	3	4	4	3	5	1	0	0	31	
		O	0	0	0	0	0	0	0	0	0	0	0	0	0

\* Note:- Out of 77 cases of dengue, only 17 are residents of Delhi among which 13 cases are suspected and only 4 are found confirmed as per "Dengue Death Review Committee".

Table -1														
DEATHS BY CAUSE OF DEATHS, AGE AND SEX FOR MEDICALLY CERTIFIED DEATHS - 2018														
AGE IN YEARS														
SL. No.	NAME OF THE DISEASE	SEX	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-69	>=70	NOT STATED	TOTAL
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)
6	Other arthropod-borne viral fevers and viral haemorrhagic favers (A91-A94, A96-A99)	M	0	0	2	2	0	1	0	2	0	2	0	9
		F	1	0	4	0	0	0	0	0	3	0	0	8
		O	0	0	0	0	0	0	0	0	0	0	0	0
7	Smallpox (B03)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		O	0	0	0	0	0	0	0	0	0	0	0	0
8	Measles (B05)	M	0	3	1	0	0	0	0	0	0	0	0	4
		F	1	0	1	0	0	0	0	0	0	0	0	2
		O	0	0	0	0	0	0	0	0	0	0	0	0
9	Acute Hepatitis B (B16)	M	0	0	1	1	2	3	3	3	2	1	0	16
		F	1	1	1	1	0	0	0	0	0	0	0	4
		O	0	0	0	0	0	0	0	0	0	0	0	0
10	Other viral hepatitis (B15, B17-B19)	M	0	1	7	4	3	5	6	2	3	5	0	36
		F	0	0	1	6	5	5	2	2	1	0	1	23
		O	0	0	0	0	0	0	0	0	0	0	0	0
11	Human immunodeficiency virus (HIV) disease (B20-B24)	M	1	0	1	15	24	26	7	12	3	0	0	89
		F	1	1	0	3	12	9	6	2	0	0	0	34
		O	0	0	0	0	0	0	0	0	0	0	0	0
12	All other types of viral diseases (A70-A74,A81, A87-A89,A95,B00-B02,B04,B06-B09 &B25-B34)	M	4	0	2	2	1	4	2	2	4	1	0	22
		F	2	0	2	5	3	2	2	2	0	0	0	18
		O	0	0	0	0	0	0	0	0	0	0	0	0
6	<b>Protozoal diseases (B50-B64)</b>	<b>M</b>	<b>1</b>	<b>4</b>	<b>6</b>	<b>14</b>	<b>14</b>	<b>8</b>	<b>4</b>	<b>8</b>	<b>2</b>	<b>3</b>	<b>1</b>	<b>65</b>
		<b>F</b>	<b>0</b>	<b>2</b>	<b>6</b>	<b>10</b>	<b>10</b>	<b>12</b>	<b>5</b>	<b>3</b>	<b>1</b>	<b>4</b>	<b>0</b>	<b>53</b>
		<b>O</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
1	Malaria (B50-B54)	M	1	4	6	14	14	7	4	7	2	3	1	63
		F	0	2	6	10	10	12	5	3	1	3	0	52
		O	0	0	0	0	0	0	0	0	0	0	0	0
2	All other types of protozoal disease (B55-B64)	M	0	0	0	0	0	1	0	1	0	0	0	2
		F	0	0	0	0	0	0	0	0	0	1	0	1
		O	0	0	0	0	0	0	0	0	0	0	0	0



<b>Table -1</b>															
<b>DEATHS BY CAUSE OF DEATHS, AGE AND SEX FOR MEDICALLY CERTIFIED DEATHS - 2018</b>															
<b>AGE IN YEARS</b>															
<b>SL. No.</b>	<b>NAME OF THE DISEASE</b>	<b>SEX</b>	<b>&lt;1</b>	<b>1-4</b>	<b>5-14</b>	<b>15-24</b>	<b>25-34</b>	<b>35-44</b>	<b>45-54</b>	<b>55-64</b>	<b>65-69</b>	<b>&gt;=70</b>	<b>NOT STATED</b>	<b>TOTAL</b>	
<b>(1)</b>	<b>(2)</b>	<b>(3)</b>	<b>(4)</b>	<b>(5)</b>	<b>(6)</b>	<b>(7)</b>	<b>(8)</b>	<b>(9)</b>	<b>(10)</b>	<b>(11)</b>	<b>(12)</b>	<b>(13)</b>	<b>(14)</b>	<b>(15)</b>	
7	Other certain infectious and parasitic diseases & late effect of infectious and parasitic diseases (A65-A69 & A75-A79, B35-B49&B65-B99)	M	1	0	3	2	5	3	7	9	3	7	1	41	
		F	1	1	3	1	1	1	2	4	4	4	0	22	
		O	0	0	0	0	0	0	0	0	0	0	0	0	0
1	Filariasis (B74)	M	0	0	0	0	0	0	0	0	0	0	1	1	
		F	0	0	0	0	0	0	0	0	0	0	0	0	0
		O	0	0	0	0	0	0	0	0	0	0	0	0	0
2	Other helminthiasis (B65-B73,B75,B77-B83)	M	0	0	1	0	0	0	0	0	0	0	0	1	
		F	0	0	0	0	0	0	0	1	2	0	0	3	
		O	0	0	0	0	0	0	0	0	0	0	0	0	0
3	Other spirochaetal diseases and Rickettsioses (A65-A69 & A75-A79)	M	0	0	0	0	2	0	1	1	0	0	0	4	
		F	0	0	0	0	0	0	0	0	0	0	0	0	
		O	0	0	0	0	0	0	0	0	0	0	0	0	0
4	All other infectious and parasitic diseases & late effects of infectious and parasitic diseases (B35-B49,B76,B85-B99)	M	1	0	2	2	3	3	6	8	3	7	0	35	
		F	1	1	3	1	1	1	2	3	2	4	0	19	
		O	0	0	0	0	0	0	0	0	0	0	0	0	0
II	NEOPLASMS(C00-D48)	M	21	66	162	213	229	426	705	867	438	598	11	3736	
		F	13	43	63	110	199	408	578	650	250	336	9	2659	
		O	0	0	0	0	0	0	0	0	0	0	1	1	
8	Malignant neoplasms of lip. Oral cavity and pharynx (C00-C14)	M	1	0	3	6	16	66	99	168	89	127	0	575	
		F	0	1	0	5	10	26	50	105	52	84	0	333	
		O	0	0	0	0	0	0	0	0	0	0	0	0	0
1	Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)	M	1	0	3	6	16	66	99	168	89	127	0	575	
		F	0	1	0	5	10	26	50	105	52	84	0	333	
		O	0	0	0	0	0	0	0	0	0	0	0	0	0
9	Malignant neoplasms of digestive organs (C15-C26)	M	3	1	5	9	18	53	111	139	55	77	2	473	
		F	1	1	1	6	26	65	87	96	50	52	3	388	
		O	0	0	0	0	0	0	0	0	0	0	0	0	0
1	Malignant neoplasm of oesophagus (C15)	M	0	0	1	3	1	6	23	43	9	17	0	103	
		F	0	0	0	0	4	11	24	25	11	13	1	89	
		O	0	0	0	0	0	0	0	0	0	0	0	0	0

Table -1														
DEATHS BY CAUSE OF DEATHS, AGE AND SEX FOR MEDICALLY CERTIFIED DEATHS - 2018														
AGE IN YEARS														
SL. No.	NAME OF THE DISEASE	SEX	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-69	>=70	NOT STATED	TOTAL
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)
2	Malignant neoplasm of stomach (C16)	M	0	0	0	0	6	8	20	17	8	14	0	73
		F	0	0	0	2	4	9	12	8	7	4	0	46
		O	0	0	0	0	0	0	0	0	0	0	0	0
3	Malignant neoplasm of small intestine including deodenum (C17)	M	0	0	0	0	0	1	1	0	0	1	0	3
		F	0	0	0	0	0	1	0	0	0	1	0	2
		O	0	0	0	0	0	0	0	0	0	0	0	0
4	Malignant neoplasm of colon (C18)	M	0	0	0	3	3	9	12	16	6	12	1	62
		F	0	0	1	0	1	3	4	9	4	10	0	32
		O	0	0	0	0	0	0	0	0	0	0	0	0
5	Malignant neoplasm of rectosigmoid junction, rectum, anus and anal canal (C19-C21)	M	0	0	0	3	3	7	9	9	3	4	0	38
		F	0	0	0	1	7	5	4	2	4	6	0	29
		O	0	0	0	0	0	0	0	0	0	0	0	0
6	Malignant neoplasm of liver and intrahepatic bile ducts (C22)	M	3	1	3	0	0	4	13	11	10	7	0	52
		F	1	0	0	0	3	2	11	10	2	5	0	34
		O	0	0	0	0	0	0	0	0	0	0	0	0
7	Malignant neoplasm of pancreas (C25)	M	0	0	1	0	1	6	13	21	5	15	0	62
		F	0	1	0	0	2	5	8	14	9	4	0	43
		O	0	0	0	0	0	0	0	0	0	0	0	0
8	Other malignant neoplasms of digestive organs (C23-C24, C26)	M	0	0	0	0	4	12	20	22	14	7	1	80
		F	0	0	0	3	5	29	24	28	13	9	2	113
		O	0	0	0	0	0	0	0	0	0	0	0	0
10	<b>Malignant neoplasm of respiratory and intrathoracic organs (C30-C39)</b>	<b>M</b>	<b>0</b>	<b>0</b>	<b>2</b>	<b>5</b>	<b>10</b>	<b>31</b>	<b>89</b>	<b>122</b>	<b>84</b>	<b>89</b>	<b>1</b>	<b>433</b>
		<b>F</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>3</b>	<b>10</b>	<b>18</b>	<b>27</b>	<b>42</b>	<b>10</b>	<b>17</b>	<b>2</b>	<b>130</b>
		<b>O</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
1	Malignant neoplasm of larynx (C32)	M	0	0	0	0	0	7	17	24	14	9	0	71
		F	0	0	0	0	1	1	0	1	1	0	0	4
		O	0	0	0	0	0	0	0	0	0	0	0	0
2	Malignant neoplasm of trachea, bronchus and lung (C33-C34)	M	0	0	2	2	9	17	56	81	59	70	1	297
		F	0	0	0	2	8	15	21	36	5	11	2	100
		O	0	0	0	0	0	0	0	0	0	0	0	0

Table -1														
DEATHS BY CAUSE OF DEATHS, AGE AND SEX FOR MEDICALLY CERTIFIED DEATHS - 2018														
AGE IN YEARS														
SL. No.	NAME OF THE DISEASE	SEX	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-69	>=70	NOT STATED	TOTAL
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)
3	Other malignant neoplasm of respiratory and intrathoracic organs (C30-C31, C37-C39)	M	0	0	0	3	1	7	16	17	11	10	0	65
		F	0	0	1	1	1	2	6	5	4	6	0	26
		O	0	0	0	0	0	0	0	0	0	0	0	0
11	<b>Malignant neoplasms of bone, mesothelial and soft tissue, skin and breast (C40-C50)</b>	<b>M</b>	<b>0</b>	<b>3</b>	<b>11</b>	<b>13</b>	<b>4</b>	<b>1</b>	<b>9</b>	<b>6</b>	<b>9</b>	<b>4</b>	<b>1</b>	<b>61</b>
		<b>F</b>	<b>1</b>	<b>3</b>	<b>5</b>	<b>12</b>	<b>38</b>	<b>78</b>	<b>104</b>	<b>78</b>	<b>21</b>	<b>23</b>	<b>0</b>	<b>363</b>
		<b>O</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
1	Malignant neoplasm of bone & articular cartilage (C40-C41)	M	0	1	5	12	2	1	4	3	1	0	0	29
		F	0	1	4	7	2	1	4	1	0	0	0	20
		O	0	0	0	0	0	0	0	0	0	0	0	0
2	Malignant melanoma of skin (C43)	M	0	0	1	0	0	0	2	0	1	2	1	7
		F	0	0	0	0	1	1	0	0	0	1	0	3
		O	0	0	0	0	0	0	0	0	0	0	0	0
3	Other malignant neoplasms of skin (C44)	M	0	0	0	0	0	0	1	2	2	2	0	7
		F	0	0	0	0	0	0	0	1	0	1	0	2
		O	0	0	0	0	0	0	0	0	0	0	0	0
4	Malignant neoplasms of mesothelial and soft tissue (C45-C49)	M	0	2	5	1	2	0	2	1	5	0	0	18
		F	1	2	1	3	2	0	3	1	0	1	0	14
		O	0	0	0	0	0	0	0	0	0	0	0	0
5	Malignant neoplasm of breast (C50)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	2	33	76	97	75	21	20	0	324
		O	0	0	0	0	0	0	0	0	0	0	0	0
12	<b>Malignant neoplasms of genitourinary organs (C51-C68)</b>	<b>M</b>	<b>0</b>	<b>1</b>	<b>1</b>	<b>2</b>	<b>5</b>	<b>8</b>	<b>13</b>	<b>35</b>	<b>32</b>	<b>62</b>	<b>0</b>	<b>159</b>
		<b>F</b>	<b>0</b>	<b>2</b>	<b>0</b>	<b>6</b>	<b>18</b>	<b>56</b>	<b>97</b>	<b>93</b>	<b>31</b>	<b>26</b>	<b>1</b>	<b>330</b>
		<b>O</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
1	Malignant neoplasm of cervix uteri (C53)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	3	30	40	29	11	5	0	118
		O	0	0	0	0	0	0	0	0	0	0	0	0
2	Malignant neoplasm of other and unspecified parts of uterus (C54-C55)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	1	8	3	1	0	0	13
		O	0	0	0	0	0	0	0	0	0	0	0	0
3	Malignant neoplasm of ovary (C56)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	5	10	23	35	47	15	14	0	149
		O	0	0	0	0	0	0	0	0	0	0	0	0

Table -1															
DEATHS BY CAUSE OF DEATHS, AGE AND SEX FOR MEDICALLY CERTIFIED DEATHS - 2018															
AGE IN YEARS															
SL. No.	NAME OF THE DISEASE	SEX	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-69	>=70	NOT STATED	TOTAL	
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	
4	Malignant neoplasm of placenta (C58)	M	0	0	0	0	0	0	0	0	0	0	0	0	
		F	0	0	0	0	1	0	0	0	0	0	0	0	1
		O	0	0	0	0	0	0	0	0	0	0	0	0	0
5	Other malignant neoplasms of female genital organs (C51-C52,C57)	M	0	0	0	0	0	0	0	0	0	0	0	0	
		F	0	0	0	0	1	1	2	3	1	1	1	1	10
		O	0	0	0	0	0	0	0	0	0	0	0	0	0
6	Malignant neoplasm of prostate (C61)	M	0	0	0	0	0	0	2	16	13	45	0	76	
		F	0	0	0	0	0	0	0	0	0	0	0	0	
		O	0	0	0	0	0	0	0	0	0	0	0	0	
7	Other malignant neoplasms of male genital organs (C60,C62-C63)	M	0	0	1	1	5	2	1	1	0	3	0	14	
		F	0	0	0	0	0	0	0	0	0	0	0	0	
		O	0	0	0	0	0	0	0	0	0	0	0	0	
8	Malignant neoplasm of bladder (C67)	M	0	0	0	1	0	6	5	16	17	11	0	56	
		F	0	0	0	0	2	1	12	10	2	4	0	31	
		O	0	0	0	0	0	0	0	0	0	0	0	0	
9	Other malignant neoplasms of urinary tract (C64-C66,C68)	M	0	1	0	0	0	0	5	2	2	3	0	13	
		F	0	2	0	1	1	0	0	1	1	2	0	8	
		O	0	0	0	0	0	0	0	0	0	0	0	0	
13	Malignant neoplasms of eye, brain and other parts of central nervous system (C69-C72)	<b>M</b>	<b>0</b>	<b>10</b>	<b>9</b>	<b>4</b>	<b>13</b>	<b>7</b>	<b>7</b>	<b>9</b>	<b>6</b>	<b>3</b>	<b>0</b>	<b>68</b>	
		<b>F</b>	<b>0</b>	<b>2</b>	<b>2</b>	<b>4</b>	<b>3</b>	<b>3</b>	<b>2</b>	<b>11</b>	<b>1</b>	<b>7</b>	<b>0</b>	<b>35</b>	
		<b>O</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	
1	Malignant neoplasm of eye & adnexa (C69)	M	0	5	0	0	1	1	0	1	1	0	0	9	
		F	0	1	0	0	2	0	0	0	1	3	0	7	
		O	0	0	0	0	0	0	0	0	0	0	0	0	
2	Malignant neoplasm of meninges, brain and other parts of central nervous system (C70-C72)	M	0	5	9	4	12	6	7	8	5	3	0	59	
		F	0	1	2	4	1	3	2	11	0	4	0	28	
		O	0	0	0	0	0	0	0	0	0	0	0	0	
14	Malignant neoplasms of other and unspecified sites (C73-C80 & C97)	<b>M</b>	<b>1</b>	<b>2</b>	<b>8</b>	<b>7</b>	<b>3</b>	<b>12</b>	<b>23</b>	<b>27</b>	<b>10</b>	<b>13</b>	<b>2</b>	<b>108</b>	
		<b>F</b>	<b>1</b>	<b>6</b>	<b>3</b>	<b>1</b>	<b>4</b>	<b>7</b>	<b>12</b>	<b>20</b>	<b>6</b>	<b>7</b>	<b>0</b>	<b>67</b>	
		<b>O</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	

Table -1														
DEATHS BY CAUSE OF DEATHS, AGE AND SEX FOR MEDICALLY CERTIFIED DEATHS - 2018														
AGE IN YEARS														
SL. No.	NAME OF THE DISEASE	SEX	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-69	>=70	NOT STATED	TOTAL
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)
1	Malignant neoplasm of other, ill-defined, secondary, unspecified and multiple sites (C73-C80 & C97)	M	1	2	8	7	3	12	23	27	10	13	2	108
		F	1	6	3	1	4	7	12	20	6	7	0	67
		O	0	0	0	0	0	0	0	0	0	0	0	0
15	Malignant neoplasms of lymphoid, haematopoietic and related tissue (C81-C96)	<b>M</b>	<b>6</b>	<b>45</b>	<b>102</b>	<b>130</b>	<b>89</b>	<b>97</b>	<b>109</b>	<b>87</b>	<b>27</b>	<b>49</b>	<b>2</b>	<b>743</b>
		<b>F</b>	<b>3</b>	<b>26</b>	<b>44</b>	<b>52</b>	<b>47</b>	<b>73</b>	<b>74</b>	<b>60</b>	<b>17</b>	<b>27</b>	<b>3</b>	<b>426</b>
		<b>O</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1</b>
1	Hodgkin lymphoma (C81)	M	1	0	6	5	3	7	0	4	1	6	0	33
		F	0	0	2	6	1	2	2	1	2	0	0	16
		O	0	0	0	0	0	0	0	0	0	0	0	0
2	Non-Hodgkin lymphoma (C82-C85)	M	0	8	22	23	19	18	29	23	6	9	0	157
		F	0	4	6	9	7	5	12	15	4	9	0	71
		O	0	0	0	0	0	0	0	0	0	0	0	0
3	Multiple myeloma and malignant plasms cell neoplasms (C90)	M	0	0	1	2	0	4	19	16	7	9	0	58
		F	1	0	1	0	0	2	13	6	3	7	1	34
		O	0	0	0	0	0	0	0	0	0	0	0	0
4	Leukaemia (C91-C95)	M	5	37	73	100	67	68	61	44	13	25	2	495
		F	2	21	35	37	39	64	46	38	7	11	2	302
		O	0	0	0	0	0	0	0	0	0	0	0	1
5	Other malignant neoplasms of lymphoid, haematopoietic and related tissue (C88 & C96)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	1	0	0	0	0	1	0	1	0	0	3
		O	0	0	0	0	0	0	0	0	0	0	0	0
16	Carcinoma in situ(D00-D09)	<b>M</b>	<b>5</b>	<b>0</b>	<b>1</b>	<b>8</b>	<b>9</b>	<b>17</b>	<b>32</b>	<b>41</b>	<b>26</b>	<b>49</b>	<b>0</b>	<b>188</b>
		<b>F</b>	<b>1</b>	<b>0</b>	<b>2</b>	<b>3</b>	<b>6</b>	<b>10</b>	<b>21</b>	<b>52</b>	<b>11</b>	<b>36</b>	<b>0</b>	<b>142</b>
		<b>O</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
1	Carcinoma in situ (D00-D09)	M	5	0	1	8	9	17	32	41	26	49	0	188
		F	1	0	2	3	6	10	21	52	11	36	0	142
		O	0	0	0	0	0	0	0	0	0	0	0	0
17	Benign neoplasms (D10-D36)	<b>M</b>	<b>1</b>	<b>1</b>	<b>2</b>	<b>5</b>	<b>11</b>	<b>30</b>	<b>17</b>	<b>26</b>	<b>13</b>	<b>14</b>	<b>0</b>	<b>120</b>
		<b>F</b>	<b>4</b>	<b>1</b>	<b>1</b>	<b>3</b>	<b>5</b>	<b>9</b>	<b>14</b>	<b>15</b>	<b>8</b>	<b>14</b>	<b>0</b>	<b>74</b>
		<b>O</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>

<b>Table -1</b>															
<b>DEATHS BY CAUSE OF DEATHS, AGE AND SEX FOR MEDICALLY CERTIFIED DEATHS - 2018</b>															
<b>AGE IN YEARS</b>															
<b>SL. No.</b>	<b>NAME OF THE DISEASE</b>	<b>SEX</b>	<b>&lt;1</b>	<b>1-4</b>	<b>5-14</b>	<b>15-24</b>	<b>25-34</b>	<b>35-44</b>	<b>45-54</b>	<b>55-64</b>	<b>65-69</b>	<b>&gt;=70</b>	<b>NOT STATED</b>	<b>TOTAL</b>	
<b>(1)</b>	<b>(2)</b>	<b>(3)</b>	<b>(4)</b>	<b>(5)</b>	<b>(6)</b>	<b>(7)</b>	<b>(8)</b>	<b>(9)</b>	<b>(10)</b>	<b>(11)</b>	<b>(12)</b>	<b>(13)</b>	<b>(14)</b>	<b>(15)</b>	
1	Leiomyoma of uterus (D25)	M	0	0	0	0	0	0	0	0	0	0	0	0	
		F	1	0	0	0	0	0	1	0	0	0	1	0	3
		O	0	0	0	0	0	0	0	0	0	0	0	0	0
2	All other benign neoplasms (D10-D24, D26-D36)	M	1	1	2	5	11	30	17	26	13	14	0	120	
		F	3	1	1	3	5	8	14	15	8	13	0	71	
		O	0	0	0	0	0	0	0	0	0	0	0	0	0
18	<b>Other &amp; Unspecified neoplasm (D37-D48)</b>	<b>M</b>	<b>4</b>	<b>3</b>	<b>18</b>	<b>24</b>	<b>51</b>	<b>104</b>	<b>196</b>	<b>207</b>	<b>87</b>	<b>111</b>	<b>3</b>	<b>808</b>	
		<b>F</b>	<b>2</b>	<b>1</b>	<b>4</b>	<b>15</b>	<b>32</b>	<b>63</b>	<b>90</b>	<b>78</b>	<b>43</b>	<b>43</b>	<b>0</b>	<b>371</b>	
		<b>O</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
1	Other and unspecified neoplasm (D37-D48)	M	4	3	18	24	51	104	196	207	87	111	3	808	
		F	2	1	4	15	32	63	90	78	43	43	0	371	
		O	0	0	0	0	0	0	0	0	0	0	0	0	0
III	<b>Diseases of the Blood &amp; blood forming organs and certain disorders involving the immune mechanism (D50-D89)</b>	<b>M</b>	<b>35</b>	<b>21</b>	<b>58</b>	<b>80</b>	<b>61</b>	<b>64</b>	<b>67</b>	<b>64</b>	<b>32</b>	<b>33</b>	<b>9</b>	<b>524</b>	
		<b>F</b>	<b>22</b>	<b>21</b>	<b>33</b>	<b>54</b>	<b>52</b>	<b>37</b>	<b>40</b>	<b>46</b>	<b>19</b>	<b>25</b>	<b>8</b>	<b>357</b>	
		<b>O</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
19	<b>Diseases of the Blood &amp; blood forming organs and certain disorders involving the immune mechanism (D50-D89)</b>	<b>M</b>	<b>35</b>	<b>21</b>	<b>58</b>	<b>80</b>	<b>61</b>	<b>64</b>	<b>67</b>	<b>64</b>	<b>32</b>	<b>33</b>	<b>9</b>	<b>524</b>	
		<b>F</b>	<b>22</b>	<b>21</b>	<b>33</b>	<b>54</b>	<b>52</b>	<b>37</b>	<b>40</b>	<b>46</b>	<b>19</b>	<b>25</b>	<b>8</b>	<b>357</b>	
		<b>O</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
1	Thalassaemia (D56)	M	0	0	2	1	1	1	0	0	0	0	2	7	
		F	1	0	1	2	1	0	0	0	1	0	0	6	
		O	0	0	0	0	0	0	0	0	0	0	0	0	0
2	Other anaemias (D50-D55,D57-D64)	M	20	12	44	60	46	48	42	45	20	25	7	369	
		F	11	12	22	38	35	28	22	32	15	19	7	241	
		O	0	0	0	0	0	0	0	0	0	0	0	0	0
3	All other diseases of blood and blood- forming organs (D65-D76)	M	15	8	12	18	14	15	24	17	11	6	0	140	
		F	10	9	10	14	16	9	17	13	2	6	1	107	
		O	0	0	0	0	0	0	0	0	0	0	0	0	0

Table -1														
DEATHS BY CAUSE OF DEATHS, AGE AND SEX FOR MEDICALLY CERTIFIED DEATHS - 2018														
AGE IN YEARS														
SL. No.	NAME OF THE DISEASE	SEX	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-69	>=70	NOT STATED	TOTAL
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)
4	Certain disorders involving the immune mechanism (D80-D89)	M	0	1	0	1	0	0	1	2	1	2	0	8
		F	0	0	0	0	0	0	1	1	1	0	0	3
		O	0	0	0	0	0	0	0	0	0	0	0	0
IV	ENDOCRINE, NUTRITIONAL AND METABOLIC DISEASES (E00-E89)	M	39	23	13	54	51	139	272	393	198	335	10	1527
		F	28	25	12	36	49	93	235	356	162	316	9	1321
		O	0	0	0	0	0	0	0	0	0	0	0	0
20	Malnutrition (E40-E46)	M	27	15	0	0	0	0	2	0	3	0	0	47
		F	16	12	0	1	2	0	1	0	0	0	0	32
		O	0	0	0	0	0	0	0	0	0	0	0	0
1	Kwashiorkor (E40)	M	1	0	0	0	0	0	1	0	3	0	0	5
		F	0	1	0	1	0	0	1	0	0	0	0	3
		O	0	0	0	0	0	0	0	0	0	0	0	0
2	Nutritional marasmus (E41)	M	2	0	0	0	0	0	0	0	0	0	0	2
		F	0	0	0	0	1	0	0	0	0	0	0	1
		O	0	0	0	0	0	0	0	0	0	0	0	0
3	Other protein-energy malnutrition (E42-E46)	M	24	15	0	0	0	0	1	0	0	0	0	40
		F	16	11	0	0	1	0	0	0	0	0	0	28
		O	0	0	0	0	0	0	0	0	0	0	0	0
21	Endocrine, other nutritional & metabolic diseases (E00-E34 & E50-E89)	M	12	8	13	54	51	139	270	393	195	335	10	1480
		F	12	13	12	35	47	93	234	356	162	316	9	1289
		O	0	0	0	0	0	0	0	0	0	0	0	0
1	Disorders of thyroid gland (E00-E07)	M	1	0	0	0	0	4	3	0	1	1	0	10
		F	0	1	0	0	3	1	4	11	0	2	0	22
		O	0	0	0	0	0	0	0	0	0	0	0	0
2	Diabetes mellitus (E10-E14)	M	0	1	4	16	22	88	209	337	172	295	5	1149
		F	0	3	7	9	26	74	203	304	146	283	1	1056
		O	0	0	0	0	0	0	0	0	0	0	0	0
3	All other nutritional deficiencies (E50-E64)	M	0	0	0	0	0	0	0	1	0	0	0	1
		F	0	1	0	0	0	0	1	1	0	1	0	4
		O	0	0	0	0	0	0	0	0	0	0	0	0
4	All other endocrine and metabolic diseases (E15-E34 & E65-E90)	M	11	7	9	38	29	47	58	55	22	39	5	320
		F	12	8	5	26	18	18	26	40	16	30	8	207
		O	0	0	0	0	0	0	0	0	0	0	0	0

Table -1														
DEATHS BY CAUSE OF DEATHS, AGE AND SEX FOR MEDICALLY CERTIFIED DEATHS - 2018														
AGE IN YEARS														
SL. No.	NAME OF THE DISEASE	SEX	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-69	>=70	NOT STATED	TOTAL
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)
V	Mental and Behavioural disorders (F01-F99)	M	0	1	1	2	0	10	4	6	2	1	1	28
		F	0	2	1	1	2	0	2	1	0	1	0	10
		O	0	0	0	0	0	0	0	0	0	0	0	0
22	Mental and Behavioural disorders (F01-F99)	M	0	1	1	2	0	10	4	6	2	1	1	28
		F	0	2	1	1	2	0	2	1	0	1	0	10
		O	0	0	0	0	0	0	0	0	0	0	0	0
1	Mental and behavioural disorders due to psychoactive substance use (F10-F19)	M	0	0	0	2	0	3	3	2	0	1	0	11
		F	0	0	0	1	0	0	1	0	0	0	0	2
		O	0	0	0	0	0	0	0	0	0	0	0	0
2	Schizophrenia, schizotypal & delusional disorders (F20-F29)	M	0	1	0	0	0	4	0	1	0	0	0	6
		F	0	0	0	0	1	0	0	0	0	0	0	1
		O	0	0	0	0	0	0	0	0	0	0	0	0
3	All other mental and behavioural disorders (F01-F09, F30-F99)	M	0	0	1	0	0	3	1	3	2	0	1	11
		F	0	2	1	0	1	0	1	1	0	1	0	7
		O	0	0	0	0	0	0	0	0	0	0	0	0
VI	Diseases of the Nervous System (G00-G98)	M	114	69	125	113	128	161	183	176	61	138	9	1277
		F	81	59	87	94	90	89	109	97	53	108	13	880
		O	0	0	0	0	0	0	0	0	0	0	0	0
23	Inflammatory diseases of the central nervous system (G00-G09)	M	94	47	89	66	88	107	131	109	47	84	5	867
		F	72	36	64	70	62	56	77	71	33	67	7	615
		O	0	0	0	0	0	0	0	0	0	0	0	0
1	Meningitis (G00 & G03)	M	60	26	39	30	34	31	51	48	24	34	2	379
		F	45	10	23	33	21	25	34	32	16	37	1	277
		O	0	0	0	0	0	0	0	0	0	0	0	0
2	Encephalitis, myelitis and encephalomyelitis (G04)	M	15	8	23	11	9	8	15	8	3	5	1	106
		F	16	15	19	7	6	4	8	7	4	3	4	93
		O	0	0	0	0	0	0	0	0	0	0	0	0
3	Other inflammatory diseases of the central nervous system (G06, G08-G09)	M	19	13	27	25	45	68	65	53	20	45	2	382
		F	11	11	22	30	35	27	35	32	13	27	2	245
		O	0	0	0	0	0	0	0	0	0	0	0	0



<b>Table -1</b>														
<b>DEATHS BY CAUSE OF DEATHS, AGE AND SEX FOR MEDICALLY CERTIFIED DEATHS - 2018</b>														
<b>AGE IN YEARS</b>														
<b>SL. No.</b>	<b>NAME OF THE DISEASE</b>	<b>SEX</b>	<b>&lt;1</b>	<b>1-4</b>	<b>5-14</b>	<b>15-24</b>	<b>25-34</b>	<b>35-44</b>	<b>45-54</b>	<b>55-64</b>	<b>65-69</b>	<b>&gt;=70</b>	<b>NOT STATED</b>	<b>TOTAL</b>
<b>(1)</b>	<b>(2)</b>	<b>(3)</b>	<b>(4)</b>	<b>(5)</b>	<b>(6)</b>	<b>(7)</b>	<b>(8)</b>	<b>(9)</b>	<b>(10)</b>	<b>(11)</b>	<b>(12)</b>	<b>(13)</b>	<b>(14)</b>	<b>(15)</b>
24	Other diseases of the Nervous system (G10-G98)	M	20	22	36	47	40	54	52	67	14	54	4	410
		F	9	23	23	24	28	33	32	26	20	41	6	265
		O	0	0	0	0	0	0	0	0	0	0	0	0
1	Alzheimer disease (G30)	M	0	0	0	0	0	0	0	0	0	5	0	5
		F	0	0	0	0	0	0	0	0	0	1	0	1
		O	0	0	0	0	0	0	0	0	0	0	0	0
2	Epilepsy (G40-G41)	M	4	1	7	8	2	6	6	3	1	1	0	39
		F	0	6	2	2	3	4	1	1	0	2	0	21
		O	0	0	0	0	0	0	0	0	0	0	0	0
3	All other diseases of the nervous system (G10-G25, G31, G35-G37,G43-G98)	M	16	21	29	39	38	48	46	64	13	48	4	366
		F	9	17	21	22	25	29	31	25	20	38	6	243
		O	0	0	0	0	0	0	0	0	0	0	0	0
VII	Diseases of the eye and adnexa (H00-H59)	M	0	0	0	1	0	0	0	0	0	0	0	1
		F	1	0	1	0	0	0	0	0	0	0	0	2
		O	0	0	0	0	0	0	0	0	0	0	0	0
25	Diseases of the eye and adnexa (H00-H59)	M	0	0	0	1	0	0	0	0	0	0	0	1
		F	1	0	1	0	0	0	0	0	0	0	0	2
		O	0	0	0	0	0	0	0	0	0	0	0	0
1	Diseases of the eye and adnexa (H00-H59)	M	0	0	0	1	0	0	0	0	0	0	0	1
		F	1	0	1	0	0	0	0	0	0	0	0	2
		O	0	0	0	0	0	0	0	0	0	0	0	0
VIII	Diseases of the ear and mastoid process (H60-H95)	M	0	0	0	0	0	0	1	1	0	0	0	2
		F	0	0	0	0	0	0	1	1	0	1	0	3
		O	0	0	0	0	0	0	0	0	0	0	0	0
26	Diseases of the ear and mastoid process (H60-H95)	M	0	0	0	0	0	0	1	1	0	0	0	2
		F	0	0	0	0	0	0	1	1	0	1	0	3
		O	0	0	0	0	0	0	0	0	0	0	0	0
IX	Diseases of the circulatory system (I00-I99)	M	225	110	138	460	808	1392	2248	2777	1191	2674	51	12074
		F	132	78	89	326	490	647	1141	1647	777	1999	43	7369
		O	0	0	0	0	0	0	0	0	1	0	1	2

<b>Table -1</b>														
<b>DEATHS BY CAUSE OF DEATHS, AGE AND SEX FOR MEDICALLY CERTIFIED DEATHS - 2018</b>														
<b>AGE IN YEARS</b>														
<b>SL. No.</b>	<b>NAME OF THE DISEASE</b>	<b>SEX</b>	<b>&lt;1</b>	<b>1-4</b>	<b>5-14</b>	<b>15-24</b>	<b>25-34</b>	<b>35-44</b>	<b>45-54</b>	<b>55-64</b>	<b>65-69</b>	<b>&gt;=70</b>	<b>NOT STATED</b>	<b>TOTAL</b>
<b>(1)</b>	<b>(2)</b>	<b>(3)</b>	<b>(4)</b>	<b>(5)</b>	<b>(6)</b>	<b>(7)</b>	<b>(8)</b>	<b>(9)</b>	<b>(10)</b>	<b>(11)</b>	<b>(12)</b>	<b>(13)</b>	<b>(14)</b>	<b>(15)</b>
27	Acute rheumatic fever and chronic rheumatic heart diseases (I00-I09)	M	6	8	10	43	63	91	119	202	105	277	3	927
		F	8	7	5	36	51	80	90	139	54	203	0	673
		O	0	0	0	0	0	0	0	0	0	0	0	0
1	Acute rheumatic fever (I00-I02)	M	3	4	5	21	30	42	78	157	87	237	0	664
		F	3	5	5	15	28	38	54	94	43	179	0	464
		O	0	0	0	0	0	0	0	0	0	0	0	0
2	Chronic rheumatic heart diseases (I05-I09)	M	3	4	5	22	33	49	41	45	18	40	3	263
		F	5	2	0	21	23	42	36	45	11	24	0	209
		O	0	0	0	0	0	0	0	0	0	0	0	0
28	Hypertensive disease (I10 - I15)	M	16	6	16	122	286	550	888	999	411	810	8	4112
		F	14	5	10	104	215	277	507	680	323	725	8	2868
		O	0	0	0	0	0	0	0	0	0	1	0	0
1	Hypertensive heart disease (I11)	M	5	6	9	98	239	411	660	675	271	514	1	2889
		F	5	4	5	82	180	208	354	455	222	415	1	1931
		O	0	0	0	0	0	0	0	0	0	0	0	0
2	All other hypertensive diseases (I10, I12-I15)	M	11	0	7	24	47	139	228	324	140	296	7	1223
		F	9	1	5	22	35	69	153	225	101	310	7	937
		O	0	0	0	0	0	0	0	0	1	0	0	0
29	Ischaemic heart diseases (I20-I25)	M	21	4	9	22	58	162	349	507	214	453	5	1804
		F	7	4	9	20	38	49	127	231	126	305	7	923
		O	0	0	0	0	0	0	0	0	0	0	0	0
1	Acute myocardial infarction (I21-I22)	M	4	1	2	6	10	42	65	103	45	101	0	379
		F	3	1	7	5	9	7	24	50	24	72	1	203
		O	0	0	0	0	0	0	0	0	0	0	0	0
2	All other ischaemic heart diseases (I20 & I23-I25)	M	17	3	7	16	48	120	284	404	169	352	5	1425
		F	4	3	2	15	29	42	103	181	102	233	6	720
		O	0	0	0	0	0	0	0	0	0	0	0	0

<b>Table -1</b>														
<b>DEATHS BY CAUSE OF DEATHS, AGE AND SEX FOR MEDICALLY CERTIFIED DEATHS - 2018</b>														
<b>AGE IN YEARS</b>														
<b>SL. No.</b>	<b>NAME OF THE DISEASE</b>	<b>SEX</b>	<b>&lt;1</b>	<b>1-4</b>	<b>5-14</b>	<b>15-24</b>	<b>25-34</b>	<b>35-44</b>	<b>45-54</b>	<b>55-64</b>	<b>65-69</b>	<b>&gt;=70</b>	<b>NOT STATED</b>	<b>TOTAL</b>
<b>(1)</b>	<b>(2)</b>	<b>(3)</b>	<b>(4)</b>	<b>(5)</b>	<b>(6)</b>	<b>(7)</b>	<b>(8)</b>	<b>(9)</b>	<b>(10)</b>	<b>(11)</b>	<b>(12)</b>	<b>(13)</b>	<b>(14)</b>	<b>(15)</b>
30	Diseases of pulmonary circulation and other forms of heart disease (I26- I58)	M	165	84	85	232	311	413	584	712	300	751	21	3658
		F	97	57	51	146	152	176	288	406	179	479	15	2046
		O	0	0	0	0	0	0	0	0	0	0	0	1
1	Pulmonary heart disease and diseases (I26-I28)	M	36	9	11	70	70	93	134	166	65	141	6	801
		F	26	6	12	34	38	42	58	97	30	95	3	441
		O	0	0	0	0	0	0	0	0	0	0	0	0
2	Other forms of heart diseases (I30-I58)	M	129	75	74	162	241	320	450	546	235	610	15	2857
		F	71	51	39	112	114	134	230	309	149	384	12	1605
		O	0	0	0	0	0	0	0	0	0	0	0	1
31	Cerebrovascular diseases (I60-I69)	M	11	6	17	36	78	160	260	261	110	237	13	1189
		F	6	4	12	13	25	52	98	147	70	183	10	620
		O	0	0	0	0	0	0	0	0	0	0	0	0
1	Cerebrovascular diseases (I60-I69)	M	11	6	17	36	78	160	260	261	110	237	13	1189
		F	6	4	12	13	25	52	98	147	70	183	10	620
		O	0	0	0	0	0	0	0	0	0	0	0	0
32	Other diseases of the circulatory system (I70-I99)	M	6	2	1	5	12	16	48	96	51	146	1	384
		F	0	1	2	7	9	13	31	44	25	104	3	239
		O	0	0	0	0	0	0	0	0	0	0	0	0
1	Atherosclerosis (I70)	M	0	0	0	1	1	2	3	6	6	10	0	29
		F	0	0	0	1	1	0	1	3	2	10	0	18
		O	0	0	0	0	0	0	0	0	0	0	0	0
2	Arterial embolism and thrombosis (I74)	M	1	0	1	0	0	0	1	2	2	0	0	7
		F	0	0	1	0	2	1	1	1	1	1	0	8
		O	0	0	0	0	0	0	0	0	0	0	0	0
3	Other diseases of arteries, arterioles & capillaries (I71-I73 & I77-I78)	M	0	0	0	2	2	4	9	15	4	12	0	48
		F	0	0	0	2	1	3	6	7	6	9	2	36
		O	0	0	0	0	0	0	0	0	0	0	0	0
4	Phlebitis, thrombophlebitis, venous embolism and thrombosis (I80-I82)	M	1	0	0	0	2	4	4	2	2	3	1	19
		F	0	0	0	4	2	2	2	2	0	1	1	14
		O	0	0	0	0	0	0	0	0	0	0	0	0

Table -1														
DEATHS BY CAUSE OF DEATHS, AGE AND SEX FOR MEDICALLY CERTIFIED DEATHS - 2018														
AGE IN YEARS														
SL. No.	NAME OF THE DISEASE	SEX	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-69	>=70	NOT STATED	TOTAL
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)
5	All other diseases of the circulatory system (I83-I99)	M	4	2	0	2	7	6	31	71	37	121	0	281
		F	0	1	1	0	3	7	21	31	16	83	0	163
		O	0	0	0	0	0	0	0	0	0	0	0	0
X	DISEASES OF THE RESPIRATORY SYSTEM (J00-J98)	M	372	134	126	221	309	522	740	1065	570	1230	60	5349
		F	262	109	109	195	221	200	367	549	282	772	36	3102
		O	0	0	0	0	0	0	0	1	0	0	1	2
33	DISEASES OF THE UPPER RESPIRATORY TRACT (J00-J06 & J30-J39)	M	26	16	21	40	56	90	136	221	133	239	8	986
		F	25	14	16	41	38	44	59	110	48	150	3	548
		O	0	0	0	0	0	0	0	0	0	0	0	0
1	Acute pharyngitis and acute tonsillitis (J02-J03)	M	0	0	0	0	0	1	0	1	0	0	1	3
		F	0	0	0	0	0	0	0	0	0	0	0	0
		O	0	0	0	0	0	0	0	0	0	0	0	0
2	Acute laryngitis and tracheitis (J04)	M	1	0	0	0	1	0	0	0	0	0	0	2
		F	0	1	0	0	0	0	1	0	1	0	0	3
		O	0	0	0	0	0	0	0	0	0	0	0	0
3	Other acute upper respiratory infections (J00-J01, J05-J06)	M	25	16	21	39	52	84	127	205	128	223	7	927
		F	23	13	15	40	36	42	58	106	45	141	2	521
		O	0	0	0	0	0	0	0	0	0	0	0	0
4	All other diseases of upper respiratory tract (J30-J39)	M	0	0	0	1	3	5	9	15	5	16	0	54
		F	2	0	1	1	2	2	0	4	2	9	1	24
		O	0	0	0	0	0	0	0	0	0	0	0	0
34	Lower respiratory diseases (J20-J22 & J40-J47)	M	42	9	15	29	83	161	297	430	220	428	19	1733
		F	29	6	13	29	49	59	117	215	107	271	15	910
		O	0	0	0	0	0	0	0	0	0	0	0	0
1	Acute bronchitis and acute bronchiolitis (J20-J21)	M	2	1	0	1	9	7	10	18	9	22	2	81
		F	4	0	3	1	0	3	4	10	5	21	0	51
		O	0	0	0	0	0	0	0	0	0	0	0	0
2	Bronchitis, chronic and unspecified, emphysema (J40-J43)	M	11	4	1	4	31	65	83	93	39	71	0	402
		F	7	3	1	3	8	6	14	25	10	32	0	109
		O	0	0	0	0	0	0	0	0	0	0	0	0
3	Asthma (J45-J46)	M	0	0	2	0	3	4	9	13	7	22	0	60
		F	0	0	0	1	1	6	2	14	10	22	1	57
		O	0	0	0	0	0	0	0	0	0	0	0	0

Table -1														
DEATHS BY CAUSE OF DEATHS, AGE AND SEX FOR MEDICALLY CERTIFIED DEATHS - 2018														
AGE IN YEARS														
SL. No.	NAME OF THE DISEASE	SEX	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-69	>=70	NOT STATED	TOTAL
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)
4	Other lower respiratory disorders (J22, J44 & J47)	M	29	4	12	24	40	85	195	306	165	313	17	1190
		F	18	3	9	24	40	44	97	166	82	196	14	693
		O	0	0	0	0	0	0	0	0	0	0	0	0
35	Other diseases of the respiratory system (J10-J18,J60-J98)	M	304	109	90	152	170	271	307	414	217	563	33	2630
		F	208	89	80	125	134	97	191	224	127	351	18	1644
		O	0	0	0	0	0	0	0	1	0	0	1	2
1	Influenza (J10-J11)	M	12	3	2	1	3	6	12	19	13	41	5	117
		F	12	0	0	4	1	2	10	9	14	30	3	85
		O	0	0	0	0	0	0	0	0	0	0	0	0
2	Pneumonia (J12-J18)	M	222	79	58	62	63	102	111	165	98	267	9	1236
		F	160	69	38	51	47	41	76	95	54	175	6	812
		O	0	0	0	0	0	0	0	1	0	0	0	1
3	Pleurisy (J90)	M	1	0	0	0	0	0	1	1	3	1	0	7
		F	0	0	1	1	2	2	1	2	0	0	0	9
		O	0	0	0	0	0	0	0	0	0	0	0	0
4	All other diseases of the respiratory system (J60-J86, J92-J98)	M	69	27	30	89	104	163	183	229	103	254	19	1270
		F	36	20	41	69	84	52	104	118	59	146	9	738
		O	0	0	0	0	0	0	0	0	0	0	1	1
XI	DISEASES OF THE DIGESTIVE SYSTEM (K00-K92)	M	75	34	46	159	390	727	693	595	186	332	32	3269
		F	51	25	47	108	128	119	212	227	110	238	25	1290
		O	0	0	0	0	0	1	0	0	0	0	1	2
36	Diseases of oral cavity, salivary glands and jaws (K00-K14)	M	0	0	2	1	4	8	3	11	3	14	0	46
		F	1	0	1	2	2	4	0	6	6	8	0	30
		O	0	0	0	0	0	0	0	0	0	0	0	0
1	Diseases of oral cavity, salivary glands and jaws (K00-K14)	M	0	0	2	1	4	8	3	11	3	14	0	46
		F	1	0	1	2	2	4	0	6	6	8	0	30
		O	0	0	0	0	0	0	0	0	0	0	0	0
37	Diseases of the other parts of digestive system (K20-K92)	M	75	34	44	158	386	719	690	584	183	318	32	3223
		F	50	25	46	106	126	115	212	221	104	230	25	1260
		O	0	0	0	0	0	1	0	0	0	0	1	2

Table -1														
DEATHS BY CAUSE OF DEATHS, AGE AND SEX FOR MEDICALLY CERTIFIED DEATHS - 2018														
AGE IN YEARS														
SL. No.	NAME OF THE DISEASE	SEX	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-69	>=70	NOT STATED	TOTAL
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)
1	Gastric and duodenal ulcer (K25-K27)	M	0	0	0	0	3	1	0	0	3	2	0	9
		F	0	0	0	0	1	0	0	0	1	1	0	3
		O	0	0	0	0	0	0	0	0	0	0	0	0
2	Gastritis and duodenitis (K29)	M	0	0	0	0	0	1	0	3	0	6	0	10
		F	1	1	0	1	0	2	2	1	4	4	0	16
		O	0	0	0	0	0	0	0	0	0	0	0	0
3	Diseases of appendix (K35-K38)	M	0	0	0	2	0	2	0	1	1	1	0	7
		F	1	0	0	1	0	0	0	0	0	0	0	2
		O	0	0	0	0	0	0	0	0	0	0	0	0
4	Hernia (K40-K46)	M	1	0	1	0	0	0	5	5	1	3	0	16
		F	1	1	0	0	0	1	3	7	1	3	0	17
		O	0	0	0	0	0	0	0	0	0	0	0	0
5	Paralytic ileus and intestinal obstruction without hernia (K56)	M	3	0	3	1	2	3	9	5	2	9	0	37
		F	1	0	1	3	2	3	4	6	4	7	0	31
		O	0	0	0	0	0	0	0	0	0	0	0	0
6	Peritonitis (K65)	M	15	4	4	27	38	32	32	30	11	18	5	216
		F	7	4	10	25	14	9	9	16	7	16	1	118
		O	0	0	0	0	0	0	0	0	0	0	1	1
7	Diseases of the liver (K70-K76)	M	25	18	34	99	277	580	510	398	101	121	15	2178
		F	11	14	24	50	76	43	91	80	36	61	11	497
		O	0	0	0	0	0	1	0	0	0	0	0	1
8	Chiolelithiasis and cholecystitis (K80-K81)	M	1	0	0	0	0	4	2	3	1	5	0	16
		F	0	0	0	1	1	2	4	3	1	16	1	29
		O	0	0	0	0	0	0	0	0	0	0	0	0
9	Disorders of the pancreas (K85-K86)	M	0	0	1	9	27	30	23	13	4	13	0	120
		F	1	1	0	6	6	7	11	15	6	5	1	59
		O	0	0	0	0	0	0	0	0	0	0	0	0
10	All other diseases of the other parts of digestive system (K20-K22, K28, K30-K31, K50-K55, K57-K63, K66, K82-K83 & K90-K92)	M	30	12	1	20	39	66	109	126	59	140	12	614
		F	27	4	11	19	26	48	88	93	44	117	11	488
		O	0	0	0	0	0	0	0	0	0	0	0	0
XII	Diseases of the skin and subcutaneous tissue (L00-L99)	M	1	0	0	1	3	6	7	3	3	3	0	27
		F	0	2	1	1	2	4	5	4	0	6	0	25
		O	0	0	0	0	0	0	0	0	0	0	0	0

Table -1														
DEATHS BY CAUSE OF DEATHS, AGE AND SEX FOR MEDICALLY CERTIFIED DEATHS - 2018														
AGE IN YEARS														
SL. No.	NAME OF THE DISEASE	SEX	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-69	>=70	NOT STATED	TOTAL
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)
38	Diseases of the skin and subcutaneous tissue (L00-L99)	M	1	0	0	1	3	6	7	3	3	3	0	27
		F	0	2	1	1	2	4	5	4	0	6	0	25
		O	0	0	0	0	0	0	0	0	0	0	0	0
1	Infections of the skin and subcutaneous tissue (L00-L08)	M	1	0	0	0	2	5	4	3	1	2	0	18
		F	0	1	0	1	1	2	3	1	0	4	0	13
		O	0	0	0	0	0	0	0	0	0	0	0	0
2	All other diseases of the skin and subcutaneous tissue (L10-L99)	M	0	0	0	1	1	1	3	0	2	1	0	9
		F	0	1	1	0	1	2	2	3	0	2	0	12
		O	0	0	0	0	0	0	0	0	0	0	0	0
XIII	Diseases of the Musculoskeletal system connective tissue (M00-M99)	M	4	3	2	4	8	8	16	15	5	7	3	75
		F	4	1	3	14	11	10	7	5	6	5	1	67
		O	0	0	0	0	0	0	0	0	0	0	0	0
39	Diseases of the Musculoskeletal system connective tissue (M00-M99)	M	4	3	2	4	8	8	16	15	5	7	3	75
		F	4	1	3	14	11	10	7	5	6	5	1	67
		O	0	0	0	0	0	0	0	0	0	0	0	0
1	Rheumatoid arthritis and other inflammatory polyarthropathies (M05-M13)	M	0	1	0	0	0	1	1	3	0	0	0	6
		F	0	0	1	0	0	0	3	1	1	1	0	7
		O	0	0	0	0	0	0	0	0	0	0	0	0
2	Osteomyelitis (M86)	M	0	0	0	0	1	1	1	0	0	0	0	3
		F	0	0	0	0	0	0	0	2	0	0	0	2
		O	0	0	0	0	0	0	0	0	0	0	0	0
3	All other diseases of the musculoskeletal system and connective tissue (M00-M02, M15-M43-M85, M87-M99)	M	4	2	2	4	7	6	14	12	5	7	3	66
		F	4	1	2	14	11	10	4	2	5	4	1	58
		O	0	0	0	0	0	0	0	0	0	0	0	0
XIV	DISEASES OF THE GENITOURINARY SYSTEM (N00 - N99)	M	35	12	31	75	94	158	211	232	82	221	13	1164
		F	27	9	20	46	84	83	133	168	55	160	15	800
		O	0	0	0	0	0	0	0	0	0	0	1	1
40	Disease of urinary system (N00-N39)	M	34	12	31	74	92	158	207	231	79	214	11	1143
		F	24	8	20	45	81	81	130	167	55	160	15	786
		O	0	0	0	0	0	0	0	0	0	0	1	1

Table -1														
DEATHS BY CAUSE OF DEATHS, AGE AND SEX FOR MEDICALLY CERTIFIED DEATHS - 2018														
AGE IN YEARS														
SL. No.	NAME OF THE DISEASE	SEX	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-69	>=70	NOT STATED	TOTAL
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)
1	Glomerular diseases (including Nephritic Syndrome) (N00-N07)	M	0	2	9	4	5	8	9	14	4	13	2	70
		F	1	2	7	4	9	7	8	12	8	10	2	70
		O	0	0	0	0	0	0	0	0	0	0	0	0
2	Renal tubulo-interstitial diseases (N10-N15)	M	0	0	2	0	1	1	4	2	0	2	0	12
		F	0	0	1	0	1	1	2	2	0	1	1	9
		O	0	0	0	0	0	0	0	0	0	0	0	0
3	Renal failure (N17-N19)	M	33	8	11	44	60	87	116	134	43	113	9	658
		F	22	6	6	29	45	42	76	93	27	76	12	434
		O	0	0	0	0	0	0	0	0	0	0	1	1
4	Urolithiasis (N20-N23)	M	0	0	0	2	0	1	0	2	0	2	0	7
		F	0	0	0	0	1	2	0	1	0	1	0	5
		O	0	0	0	0	0	0	0	0	0	0	0	0
5	Other disorders of kidney and ureter (N25-N29)	M	0	0	7	18	22	53	65	64	24	42	0	295
		F	1	0	4	10	20	23	31	47	9	42	0	187
		O	0	0	0	0	0	0	0	0	0	0	0	0
6	All other diseases of urinary system (N30-N39)	M	1	2	2	6	4	8	13	15	8	42	0	101
		F	0	0	2	2	5	6	13	12	11	30	0	81
		O	0	0	0	0	0	0	0	0	0	0	0	0
41	Other diseases of the genitourinary system (N40-N99)	<b>M</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>2</b>	<b>0</b>	<b>4</b>	<b>1</b>	<b>3</b>	<b>7</b>	<b>2</b>	<b>21</b>
		<b>F</b>	<b>3</b>	<b>1</b>	<b>0</b>	<b>1</b>	<b>3</b>	<b>2</b>	<b>3</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>14</b>
		<b>O</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
1	Hyperplasia of prostate (N40)	M	0	0	0	0	0	0	3	1	2	2	0	8
		F	0	0	0	0	0	0	0	0	0	0	0	0
		O	0	0	0	0	0	0	0	0	0	0	0	0
2	All other diseases of male genital organs (N41-N50)	M	1	0	0	1	2	0	1	0	1	5	2	13
		F	0	0	0	0	0	0	0	0	0	0	0	0
		O	0	0	0	0	0	0	0	0	0	0	0	0
3	Salpingitis and oophoritis (N70)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	2	1	0	0	1	0	0	0	0	0	0	4
		O	0	0	0	0	0	0	0	0	0	0	0	0
4	All other diseases of female genital organs (N60-N64, N71-N76, N80-N99)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	1	0	0	1	2	2	3	1	0	0	0	10
		O	0	0	0	0	0	0	0	0	0	0	0	0



Table -1														
DEATHS BY CAUSE OF DEATHS, AGE AND SEX FOR MEDICALLY CERTIFIED DEATHS - 2018														
AGE IN YEARS														
SL. No.	NAME OF THE DISEASE	SEX	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-69	>=70	NOT STATED	TOTAL
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)
XV	PREGNANCY, CHILDBIRTH AND THE PUERPERIUM (O00-O99)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	58	68	16	4	0	0	0	0	146
		O	0	0	0	0	0	0	0	0	0	0	0	0
42	Pregnancy with abortive outcome (O00-O08)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	6	5	2	0	0	0	0	0	13
		O	0	0	0	0	0	0	0	0	0	0	0	0
1	Spontaneous abortion (O03)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	1	1	0	0	0	0	0	0	2
		O	0	0	0	0	0	0	0	0	0	0	0	0
2	Medical abortion (O04)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		O	0	0	0	0	0	0	0	0	0	0	0	0
3	Other pregnancies with abortive outcome (O00-O02 & O05-O08)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	5	4	2	0	0	0	0	0	11
		O	0	0	0	0	0	0	0	0	0	0	0	0
43	Other direct obstetric deaths (O10-O92)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	35	38	10	1	0	0	0	0	84
		O	0	0	0	0	0	0	0	0	0	0	0	0
1	Oedema, proteinuria and hypertensive disorders in pregnancy, childbirth and the puerperium (O10-O16)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	2	5	4	0	0	0	0	0	11
		O	0	0	0	0	0	0	0	0	0	0	0	0
2	Infections of genitourinary tract in pregnancy (O23)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	1	1	1	0	0	0	0	0	3
		O	0	0	0	0	0	0	0	0	0	0	0	0
3	Obstructed labour (O64-O66)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		O	0	0	0	0	0	0	0	0	0	0	0	0
4	Complications pre-dominantly related to the puerperium (O85-O92)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	6	4	1	1	0	0	0	0	12
		O	0	0	0	0	0	0	0	0	0	0	0	0
5	Other complications of pregnancy and delivery (O20-O22, O24-O63 & O67-O84)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	26	28	4	0	0	0	0	0	58
		O	0	0	0	0	0	0	0	0	0	0	0	0

Table -1														
DEATHS BY CAUSE OF DEATHS, AGE AND SEX FOR MEDICALLY CERTIFIED DEATHS - 2018														
AGE IN YEARS														
SL. No.	NAME OF THE DISEASE	SEX	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-69	>=70	NOT STATED	TOTAL
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)
44	Other obstetric conditions, not elsewhere classified (O95-O99)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	17	25	4	3	0	0	0	0	49
		O	0	0	0	0	0	0	0	0	0	0	0	0
1	Indirect obstetric deaths (O98-O99)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	17	25	4	3	0	0	0	0	49
		O	0	0	0	0	0	0	0	0	0	0	0	0
2	All other obstetric conditions, not elsewhere classified (O95-O97)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		O	0	0	0	0	0	0	0	0	0	0	0	0
XVI	Certain conditions originating in the perinatal period (P00-P96)	M	1611	0	0	0	0	0	0	0	0	0	388	1999
		F	954	0	0	0	0	0	0	0	0	0	270	1224
		O	8	0	0	0	0	0	0	0	0	0	6	14
45	Certain conditions originating in the perinatal period (P00-P96)	M	1611	0	0	0	0	0	0	0	0	0	388	1999
		F	954	0	0	0	0	0	0	0	0	0	270	1224
		O	8	0	0	0	0	0	0	0	0	0	6	14
1	Slow fetal growth, fetal malnutrition and immaturity (P05-P07)	M	620	0	0	0	0	0	0	0	0	0	181	801
		F	390	0	0	0	0	0	0	0	0	0	114	504
		O	5	0	0	0	0	0	0	0	0	0	1	6
2	Birth trauma (P10-P15)	M	9	0	0	0	0	0	0	0	0	0	6	15
		F	7	0	0	0	0	0	0	0	0	0	3	10
		O	0	0	0	0	0	0	0	0	0	0	0	0
3	Hypoxia, birth asphyxia and other respiratory conditions (P20-P28)	M	663	0	0	0	0	0	0	0	0	0	150	813
		F	405	0	0	0	0	0	0	0	0	0	118	523
		O	2	0	0	0	0	0	0	0	0	0	4	6
4	Haemolytic disease of fetus and new born (P55)	M	1	0	0	0	0	0	0	0	0	0	2	3
		F	1	0	0	0	0	0	0	0	0	0	1	2
		O	0	0	0	0	0	0	0	0	0	0	0	0
5	Other perinatal Jaundice (P58-P59)	M	6	0	0	0	0	0	0	0	0	0	0	6
		F	3	0	0	0	0	0	0	0	0	0	0	3
		O	0	0	0	0	0	0	0	0	0	0	0	0
6	All other conditions originating in the perinatal period (P00-P04,P08,P29-P54,P56-P57,P60-P96)	M	312	0	0	0	0	0	0	0	0	0	49	361
		F	148	0	0	0	0	0	0	0	0	0	34	182
		O	1	0	0	0	0	0	0	0	0	0	1	2

Table -1															
DEATHS BY CAUSE OF DEATHS, AGE AND SEX FOR MEDICALLY CERTIFIED DEATHS - 2018															
AGE IN YEARS															
SL. No.	NAME OF THE DISEASE	SEX	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-69	>=70	NOT STATED	TOTAL	
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	
XVII	Congenital Malformations, Deformations & chromosomal abnormalities (Q00-Q99)	M	295	44	31	11	7	5	7	1	2	2	33	438	
		F	151	39	9	10	6	5	3	1	3	5	17	249	
		O	1	1	0	0	0	0	0	0	0	0	0	1	3
46	Congenital Malformations, Deformations & chromosomal abnormalities (Q00-Q99)	M	295	44	31	11	7	5	7	1	2	2	33	438	
		F	151	39	9	10	6	5	3	1	3	5	17	249	
		O	1	1	0	0	0	0	0	0	0	0	0	1	3
1	Spina bifida (Q05)	M	1	1	0	0	0	0	0	0	0	0	0	0	2
		F	0	0	0	0	0	0	0	0	0	1	0	0	1
		O	0	0	0	0	0	0	0	0	0	0	0	0	0
2	Congenital malformations of the circulatory sytem (Q20-Q28)	M	175	28	28	11	5	5	5	1	2	1	13	274	
		F	76	32	9	6	5	3	2	1	1	3	9	147	
		O	0	1	0	0	0	0	0	0	0	0	0	0	1
3	Cleft lip and cleft palate (Q35-Q37)	M	2	0	0	0	0	0	0	0	0	0	0	0	2
		F	0	0	0	0	0	0	0	0	0	0	0	0	0
		O	0	0	0	0	0	0	0	0	0	0	0	0	0
4	All other congenital malformations, deformations, and chromosomal abnormalities, not elsewhere classified (Q00-Q04, Q06-Q18, Q30-Q34 & Q38-Q99)	M	117	15	3	0	2	0	2	0	0	1	20	160	
		F	75	7	0	4	1	2	1	0	1	2	8	101	
		O	1	0	0	0	0	0	0	0	0	0	0	1	2
XVIII	Symptoms, Signs and abnormal clinical &Laboratory finding not elsewhere classified (R00-R99)	M	1164	359	338	822	1482	1783	2150	2503	1125	2634	248	14608	
		F	790	272	328	561	585	558	881	1333	726	2112	169	8315	
		O	2	0	0	0	1	1	0	0	0	0	2	6	
47	Symptoms, Signs and abnormal clinical &Laboratory finding not elsewhere classified (R00-R99)	M	1164	359	338	822	1482	1783	2150	2503	1125	2634	248	14608	
		F	790	272	328	561	585	558	881	1333	726	2112	169	8315	
		O	2	0	0	0	1	1	0	0	0	0	2	6	
1	Abdominal and pelvic pain (R10)	M	891	180	156	385	752	1021	1307	1502	669	1565	194	8622	
		F	609	155	160	346	328	335	529	800	471	1373	136	5242	
		O	1	0	0	0	1	0	0	0	0	0	2	4	
2	Ascites (R18)	M	1	0	0	3	16	22	16	12	4	9	0	83	
		F	0	0	1	0	2	4	3	5	0	3	0	18	
		O	0	0	0	0	0	0	0	0	0	0	0	0	

<b>Table -1</b>															
<b>DEATHS BY CAUSE OF DEATHS, AGE AND SEX FOR MEDICALLY CERTIFIED DEATHS - 2018</b>															
<b>AGE IN YEARS</b>															
<b>SL. No.</b>	<b>NAME OF THE DISEASE</b>	<b>SEX</b>	<b>&lt;1</b>	<b>1-4</b>	<b>5-14</b>	<b>15-24</b>	<b>25-34</b>	<b>35-44</b>	<b>45-54</b>	<b>55-64</b>	<b>65-69</b>	<b>&gt;=70</b>	<b>NOT STATED</b>	<b>TOTAL</b>	
<b>(1)</b>	<b>(2)</b>	<b>(3)</b>	<b>(4)</b>	<b>(5)</b>	<b>(6)</b>	<b>(7)</b>	<b>(8)</b>	<b>(9)</b>	<b>(10)</b>	<b>(11)</b>	<b>(12)</b>	<b>(13)</b>	<b>(14)</b>	<b>(15)</b>	
3	Somnolence, stupor and coma (R40)	M	0	0	1	4	8	5	9	7	2	4	0	40	
		F	0	0	0	1	4	4	3	1	1	2	0	16	
		O	0	0	0	0	0	0	0	0	0	0	0	0	0
4	Fever of unknown origin (R50)	M	2	2	11	26	21	17	23	9	4	10	1	126	
		F	1	1	10	17	22	8	5	9	3	2	0	78	
		O	0	0	0	0	0	0	0	0	0	0	0	0	0
5	Senility (R54)	M	0	0	0	0	0	0	4	28	20	51	0	103	
		F	0	0	0	0	0	0	0	18	9	51	0	78	
		O	0	0	0	0	0	0	0	0	0	0	0	0	0
6	Syncope and collapse (R55)	M	0	0	0	0	0	0	3	1	0	0	0	4	
		F	0	0	0	0	0	0	0	0	0	0	0	0	0
		O	0	0	0	0	0	0	0	0	0	0	0	0	0
7	Convulsions, not elsewhere classified (R56)	M	2	1	3	4	7	14	9	8	3	15	0	66	
		F	2	1	1	2	6	4	2	8	5	15	0	46	
		O	0	0	0	0	0	0	0	0	0	0	0	0	0
8	Shock, not elsewhere classified (R57)	M	194	59	68	105	207	242	363	560	259	697	20	2774	
		F	110	33	78	86	100	119	218	342	165	477	16	1744	
		O	0	0	0	0	0	0	0	0	0	0	0	0	0
9	All other symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R09, R11-R17,R19-R39,R41-R49,R51-R53,R58-R99)	M	74	117	99	295	471	462	416	376	164	283	33	2790	
		F	68	82	78	109	123	84	121	150	72	189	17	1093	
		O	1	0	0	0	0	1	0	0	0	0	0	0	2
XIX	Injury, poisoning and certain other consequences of external causes (S00-T98)	M	29	107	98	372	445	383	315	209	72	109	27	2166	
		F	17	80	55	226	214	134	117	113	41	82	21	1100	
		O	0	0	0	0	0	0	0	0	0	0	0	0	0
48	Fractures (S02,S12,S22,S32,S42,S52,S62 S72,S82,S92,T02,TO8,T10,T12)	M	0	2	0	22	22	23	28	16	10	18	4	145	
		F	1	1	1	2	5	4	10	8	6	13	1	52	
		O	0	0	0	0	0	0	0	0	0	0	0	0	0
1	Fracture of skull and facial bones (S02)	M	0	0	0	1	1	3	4	1	2	1	0	13	
		F	0	1	0	0	0	0	1	1	0	3	0	6	
		O	0	0	0	0	0	0	0	0	0	0	0	0	0
2	Fracture of neck, thorax or pelvis (S12,S22,S32 & T08)	M	0	1	0	7	12	5	10	7	2	3	3	50	
		F	0	0	0	1	1	4	2	2	1	0	1	12	
		O	0	0	0	0	0	0	0	0	0	0	0	0	0

Table -1														
DEATHS BY CAUSE OF DEATHS, AGE AND SEX FOR MEDICALLY CERTIFIED DEATHS - 2018														
AGE IN YEARS														
SL. No.	NAME OF THE DISEASE	SEX	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-69	>=70	NOT STATED	TOTAL
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)
3	Fracture of upper limb (S42,S52,S62 & T10)	M	0	0	0	0	0	1	0	0	0	1	0	2
		F	1	0	0	1	1	0	0	0	0	1	0	4
		O	0	0	0	0	0	0	0	0	0	0	0	0
4	Fractures of lower limb (S72,S82,S92 & T12)	M	0	0	0	11	9	12	14	8	5	13	1	73
		F	0	0	1	0	3	0	7	5	3	9	0	28
		O	0	0	0	0	0	0	0	0	0	0	0	0
5	Fractures involving multiple body regions and of unspecified body region (T02)	M	0	1	0	3	0	2	0	0	1	0	0	7
		F	0	0	0	0	0	0	0	0	2	0	0	2
		O	0	0	0	0	0	0	0	0	0	0	0	0
49	Dislocations, sprains and strains of specified and multiple body regions (S03, S13, S23, S33, S43, S53, S63, S73, S83, S93, T03)	M	0	0	0	2	1	0	0	2	0	0	1	6
		F	0	0	2	0	1	1	1	0	0	0	0	5
		O	0	0	0	0	0	0	0	0	0	0	0	0
50	Intracranial and internal injuries, including nerves (S04, S06, S14, S24, S26-S27, S34, S36-S37, S44, S54, S64, S74, S84 & S94)	M	17	20	14	43	56	82	82	53	21	39	4	431
		F	8	13	15	19	24	19	32	43	11	21	3	208
		O	0	0	0	0	0	0	0	0	0	0	0	0
51	Crushing injuries and traumatic amputations of specified and multiple body regions (S07-S08, S17-S18, S28, S38, S47-S48, S57-S58, S67-S68,S77-S78, S87-S88, S97-S98, T04-T05)	M	0	0	0	2	0	1	2	1	0	0	0	6
		F	0	0	0	0	0	0	0	0	0	1	0	1
		O	0	0	0	0	0	0	0	0	0	0	0	0
52	Other injuries of specified, unspecified and multiple body regions (S00-S01, S05, S09-S11, S15-S16, S19-S21, S25, S29-S31, S35, S39-S41, S45-S46, S49-S51, S55-S56, S59-S61, S65-S66, S69-S71, S75-S76, S79-S81, S85-S86, S89-S91, S95-S96, S99, T00-T01, T06-T14)	M	9	39	58	182	224	171	130	94	25	37	8	977
		F	4	43	16	31	31	25	34	29	13	23	7	256
		O	0	0	0	0	0	0	0	0	0	0	0	0
53	Effects of foreign body entering through natural orifice (T15-T19)	M	0	1	0	0	0	4	4	1	2	3	0	15
		F	1	0	0	0	2	0	0	3	1	4	0	11
		O	0	0	0	0	0	0	0	0	0	0	0	0
54	Burns and Corrosions (T20-T32)	M	2	43	19	73	93	59	42	23	9	8	8	379
		F	3	21	18	124	124	78	35	25	10	17	9	464
		O	0	0	0	0	0	0	0	0	0	0	0	0
55	Poisonings by drugs & biological substances and Toxic effects of substances chiefly nonmedicinal as to source (T36-T50 & T51-T65)	M	0	2	6	33	38	32	21	12	5	3	2	154
		F	0	2	2	45	22	5	3	3	0	1	1	84
		O	0	0	0	0	0	0	0	0	0	0	0	0
56	Other and unspecified effects of external causes and certain early complications of trauma (T33-T35, T66-T79)	M	0	0	1	15	11	11	4	7	0	0	0	49
		F	0	0	1	5	5	2	0	1	0	1	0	15
		O	0	0	0	0	0	0	0	0	0	0	0	0

Table -1															
DEATHS BY CAUSE OF DEATHS, AGE AND SEX FOR MEDICALLY CERTIFIED DEATHS - 2018															
AGE IN YEARS															
SL. No.	NAME OF THE DISEASE	SEX	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-69	>=70	NOT STATED	TOTAL	
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	
57	Complications of Surgical and Medical care, not elsewhere classified (T80-T88)	M	1	0	0	0	0	0	0	0	0	0	0	1	
		F	0	0	0	0	0	0	0	0	0	0	1	0	1
		O	0	0	0	0	0	0	0	0	0	0	0	0	0
58	Late effects of injuries, of poisoning and of other consequences of external causes (T90-T98)	M	0	0	0	0	0	0	2	0	0	1	0	3	
		F	0	0	0	0	0	0	2	1	0	0	0	0	3
		O	0	0	0	0	0	0	0	0	0	0	0	0	0
XX	External causes of Morbidity and Mortality (V01-Y89)	M	163	68	83	248	467	535	701	935	471	1191	27	4889	
		F	79	57	51	115	154	188	318	495	259	801	11	2528	
		O	0	0	0	0	0	0	0	0	0	0	0	0	0
E48	Transport Accidents (V01-V99)	M	1	8	15	54	92	69	51	45	14	15	2	366	
		F	4	5	8	6	5	4	6	12	3	6	0	59	
		O	0	0	0	0	0	0	0	0	0	0	0	0	0
1	Railway accidents (V05, V15, V80.6, V81,V82.2,V87.6 & V88.6)	M	0	0	1	2	2	2	6	1	1	0	0	15	
		F	0	0	0	0	0	0	0	0	0	1	0	1	
		O	0	0	0	0	0	0	0	0	0	0	0	0	0
2	Motor vehicle traffic accidents (V02-V04, V09.2-V09.3, V12-V14, V19.4-V19.6, V19.9,V20-V28,V29.4-V29.6,V29.9, V30-V38,V39.4-V39.6,V39.9,V40-V48,V49.4-V49.6,V49.9,V50-58,V59.4-V59.6,V59.9, V60-V68,V69.4-V69.6, V69.9, V70-V78,V79.4-V79.6,V79.9, V80.3-V80.5, V82.1, V87.0-V87.5, V87.7-V87.9 V89.2-V89.3)	M	0	1	1	2	8	6	5	5	3	3	0	34	
		F	1	0	1	0	0	0	0	3	0	2	0	7	
		O	0	0	0	0	0	0	0	0	0	0	0	0	0
3	Other road vehicle accidents (V01,V06,V09.9,V10-V11,V16-V18,V19.8,V29.8,V39.8,V49.8,V59.8, V69.8,V79.8,V80.0-V80.2,V80.7-V80.9,V82.3-V82.7,V82.9 & V89.1)	M	1	7	13	50	82	61	40	39	10	11	2	316	
		F	3	5	7	6	5	4	6	9	3	3	0	51	
		O	0	0	0	0	0	0	0	0	0	0	0	0	0
4	Water transport accidents (V90-V94)	M	0	0	0	0	0	0	0	0	0	1	0	1	
		F	0	0	0	0	0	0	0	0	0	0	0	0	
		O	0	0	0	0	0	0	0	0	0	0	0	0	0
5	Air & Space transport accidents (V95-V97)	M	0	0	0	0	0	0	0	0	0	0	0	0	
		F	0	0	0	0	0	0	0	0	0	0	0	0	
		O	0	0	0	0	0	0	0	0	0	0	0	0	0
6	All other transport accidents (V09.0-V09.1,V19.0-V19.3,V29.0-V29.3, V39.0-V39.3,V49.0-V49.3,V59.0-V59.3,V69.0-V69.3,V79.0-V79.3,V82.0,V82.8, V83-V86,V88.0-V88.5,V88.7-V88.9, V89.0,V89.9 & V98-V99)	M	0	0	0	0	0	0	0	0	0	0	0	0	
		F	0	0	0	0	0	0	0	0	0	0	0	0	0
		O	0	0	0	0	0	0	0	0	0	0	0	0	0

Table -1														
DEATHS BY CAUSE OF DEATHS, AGE AND SEX FOR MEDICALLY CERTIFIED DEATHS - 2018														
AGE IN YEARS														
SL. No.	NAME OF THE DISEASE	SEX	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-69	>=70	NOT STATED	TOTAL
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)
E49	Accidental Falls (W00-W19)	M	2	8	10	30	57	43	41	24	5	17	1	238
		F	3	11	5	12	7	10	8	8	3	7	1	75
		O	0	0	0	0	0	0	0	0	0	0	0	0
E50	Accidental drowning and submersion (W65-W74)	M	1	1	0	4	10	12	11	4	1	0	0	44
		F	0	0	0	1	2	1	0	0	1	0	0	5
		O	0	0	0	0	0	0	0	0	0	0	0	0
E51	Exposure to smoke, fire and flames (X00-X09)	M	0	1	2	1	3	2	0	0	0	1	0	10
		F	0	1	1	4	9	1	1	0	0	1	0	18
		O	0	0	0	0	0	0	0	0	0	0	0	0
E52	Accidental poisoning by and exposure to noxious substances (X40-X49)	M	0	1	0	2	1	2	1	1	0	0	0	8
		F	0	1	0	2	1	0	1	0	0	0	0	5
		O	0	0	0	0	0	0	0	0	0	0	0	0
E53	Intentional self-harm (Suicide-attempted) (X60-X84)	M	0	0	1	0	1	3	1	2	1	0	0	9
		F	0	0	0	3	0	1	0	0	0	0	0	4
		O	0	0	0	0	0	0	0	0	0	0	0	0
E54	Assault (Homicide) (X85-Y09)	M	0	0	0	1	1	2	4	2	0	0	0	10
		F	0	0	0	1	0	0	0	1	0	1	0	3
		O	0	0	0	0	0	0	0	0	0	0	0	0
E55	Other Violence (Y10-Y36)	M	4	1	0	0	0	3	2	3	3	1	0	17
		F	3	4	1	0	4	2	0	0	1	1	0	16
		O	0	0	0	0	0	0	0	0	0	0	0	0
1	Event of undetermined intent (Y10-Y34)	M	0	0	0	0	0	3	2	0	3	0	0	8
		F	0	0	0	0	1	2	0	0	1	0	0	4
		O	0	0	0	0	0	0	0	0	0	0	0	0
2	Legal intervention (Y35)	M	4	1	0	0	0	0	0	3	0	1	0	9
		F	3	4	1	0	3	0	0	0	0	1	0	12
		O	0	0	0	0	0	0	0	0	0	0	0	0
3	Operations of war (Y36)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		O	0	0	0	0	0	0	0	0	0	0	0	0
E56	Complications of medical and surgical care (Y40-Y84)	M	0	0	0	0	1	2	1	2	1	3	0	10
		F	0	0	0	0	0	0	0	0	0	0	0	0
		O	0	0	0	0	0	0	0	0	0	0	0	0

<b>Table -1</b>														
<b>DEATHS BY CAUSE OF DEATHS, AGE AND SEX FOR MEDICALLY CERTIFIED DEATHS - 2018</b>														
<b>AGE IN YEARS</b>														
<b>SL. No.</b>	<b>NAME OF THE DISEASE</b>	<b>SEX</b>	<b>&lt;1</b>	<b>1-4</b>	<b>5-14</b>	<b>15-24</b>	<b>25-34</b>	<b>35-44</b>	<b>45-54</b>	<b>55-64</b>	<b>65-69</b>	<b>&gt;=70</b>	<b>NOT STATED</b>	<b>TOTAL</b>
<b>(1)</b>	<b>(2)</b>	<b>(3)</b>	<b>(4)</b>	<b>(5)</b>	<b>(6)</b>	<b>(7)</b>	<b>(8)</b>	<b>(9)</b>	<b>(10)</b>	<b>(11)</b>	<b>(12)</b>	<b>(13)</b>	<b>(14)</b>	<b>(15)</b>
1	Drugs, medicaments and biological substances causing adverse effects in therapeutic use (Y40-Y59)	M	0	0	0	0	1	2	1	2	1	3	0	10
		F	0	0	0	0	0	0	0	0	0	0	0	0
		O	0	0	0	0	0	0	0	0	0	0	0	0
2	Misadven during surgical & medical care, adverse adverse incidents in diagnostic and therapeutic use, abnormal reactions and late complications (Y60-Y69,Y70-Y82 & Y83-Y84)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		O	0	0	0	0	0	0	0	0	0	0	0	0
E57	<b>Other external causes of accidental injury not elasewhere classified (W20-W64, W75-W99, X10-X39, X50-X59)</b>	<b>M</b>	<b>155</b>	<b>48</b>	<b>55</b>	<b>156</b>	<b>301</b>	<b>397</b>	<b>589</b>	<b>851</b>	<b>446</b>	<b>1154</b>	<b>24</b>	<b>4176</b>
		<b>F</b>	<b>69</b>	<b>35</b>	<b>36</b>	<b>85</b>	<b>126</b>	<b>168</b>	<b>302</b>	<b>474</b>	<b>251</b>	<b>785</b>	<b>10</b>	<b>2341</b>
		<b>O</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
1	Accidents caused by machinery, and by cutting & piercing instruments (W24-W31)	M	0	1	0	2	1	1	0	1	1	0	0	7
		F	0	1	0	0	0	0	1	0	0	0	0	2
		O	0	0	0	0	0	0	0	0	0	0	0	0
2	Accidents caused by firearm missile (W32-W34)	M	0	0	0	1	2	2	0	0	0	0	0	5
		F	0	0	0	0	0	0	0	0	0	0	0	0
		O	0	0	0	0	0	0	0	0	0	0	0	0
3	Bites of snakes & other venomous animals (X20-X27)	M	0	0	0	0	0	0	5	1	1	1	0	8
		F	0	0	0	0	0	0	1	0	0	0	0	1
		O	0	0	0	0	0	0	0	0	0	0	0	0
4	Sun stroke (X32)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	1	0	0	0	0	1	0	0	0	0	0	2
		O	0	0	0	0	0	0	0	0	0	0	0	0
5	All other accidents including late effects (W20-W23, W35-W64, W75-W99, X10-X19, X28-X31, X33-X39 & X50-X59)	M	155	47	55	153	298	394	584	849	444	1153	24	4156
		F	68	34	36	85	126	167	300	474	251	785	10	2336
		O	0	0	0	0	0	0	0	0	0	0	0	0
E58	<b>Late effects of external causes of morbidity and mortality (Y85-Y89)</b>	<b>M</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1</b>
		<b>F</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>2</b>
		<b>O</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
	<b>Total</b>	<b>M</b>	<b>5275</b>	<b>1338</b>	<b>1617</b>	<b>3451</b>	<b>5295</b>	<b>7268</b>	<b>9425</b>	<b>11057</b>	<b>4992</b>	<b>10621</b>	<b>993</b>	<b>61332</b>
		<b>F</b>	<b>3330</b>	<b>1064</b>	<b>1348</b>	<b>2601</b>	<b>2883</b>	<b>3014</b>	<b>4643</b>	<b>6346</b>	<b>3057</b>	<b>7795</b>	<b>705</b>	<b>36786</b>
		<b>O</b>	<b>12</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>2</b>	<b>0</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>17</b>	<b>35</b>
	<b>All</b>	<b>T</b>	<b>8617</b>	<b>2403</b>	<b>2965</b>	<b>6052</b>	<b>8179</b>	<b>10284</b>	<b>14068</b>	<b>17404</b>	<b>8050</b>	<b>18416</b>	<b>1715</b>	<b>98153</b>



**TABLE - 2****LOCAL BODY WISE DETAILS OF MEDICALLY CERTIFIED CAUSE OF DEATH DURING (2001-2018)**

YEAR	TOTAL DEATHS	INSTITUTIONAL DEATHS LOCAL BODY WISE					
		MCD (U)	MCD (R)	TOTAL	NDMC	DCB	TOTAL
1	2	3	4	5	6	7	8
2001	81100	29094	23	29117	14866	1051	45034
2002	86176	25948	1684	27632	16192	1141	44965
2003	87743	29451	2530	31981	15195	1297	48473
2004	85378	30876	2016	32892	14316	1351	48559
2005	94187	33564	2686	36250	18744	1396	56390
2006	98909	37789	2437	40226	18804	1224	60254
2007	100974	34426	2953	37379	20388	1489	59256
2008	107600	31449	4917	36366	19187	1569	57122
2009	112013	40371	4447	44818	22249	1306	68373
2010	124353	50194	3325	53519	21591	1263	76373
2011	112142	42006	3917	45923	20994	1409	68326
2012	104616	39642	4302	43944	22373	1539	67856
2013	97185	42494	2063	44557	22070	1508	68135
2014	121286	49712	1500	51212	21754	1626	74592
2015	124516	47314	5420	52734	23524	1809	78067
2016	141632	54270	7280	61550	27164	1803	90517
2017	136117	53142	7196	60338	27422	1617	89377
2018	145533	57697	7161	64858	31380	1915	98153

**TABLE - 3****SEX WISE DEATHS (2001-2018)**

Year	Total Deaths	Male	Female	Others#	Institutional Deaths			
					Male	Female	Others#	Total
1	2	3	4	5	6	7	8	9
2001	81100	51238	29862	N.A	28178	16856	N.A	45034
2002	86176	53405	32771	N.A	27445	17520	N.A	44965
2003	87743	54561	33182	N.A	29779	18694	N.A	48473
2004	85378	53016	32362	N.A	30054	18505	N.A	48559
2005	94187	58554	35633	N.A	35089	21301	N.A	56390
2006	98908	64028	34880	N.A	40475	19779	N.A	60254
2007	100974	63461	37513	N.A	37341	21915	N.A	59256
2008	107600	68033	39567	N.A	36973	20149	N.A	57122
2009	112013	70075	41938	N.A	42808	25565	N.A	68373
2010	124353	78092	46261	N.A	48032	28341	N.A	76373
2011	112142	69732	42410	N.A	42770	25556	N.A	68326
2012	104616	64608	40008	N.A	42452	25404	N.A	67856
2013	97185	60447	36738	N.A	42367	25768	N.A	68135
2014	121286	75404	45882	N.A	47001	27591	N.A	74592
2015	124516	76421	48095	N.A	48485	29582	N.A	78067
2016	141632	87704	53887	41	56806	33684	27	90517
2017	136117	83600	52485	32	55694	33654	29	89377
2018	145533	89644	55848	41	61332	36786	35	98153

# includes transgender/ ambiguous/ not stated

TABLE - 4

## DETAILS OF INSTITUTIONAL DEATHS BY AGE &amp; SEX (2001-2018)

Year	14 Years & Below			15-24 Years			25-44 Years			45-64 Years			65 & Above			Not Stated			Total		
	Male	Female	Others	Male	Female	Others	Male	Female	Others	Male	Female	Others	Male	Female	Others	Male	Female	Others	Male	Female	Others
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
2001	6874	4545	N.A.	2038	1803	N.A.	5888	3418	N.A.	7550	3509	N.A.	5207	3071	N.A.	621	510	N.A.	28178	16856	N.A.
2002	5532	3581	N.A.	1844	1679	N.A.	4661	2872	N.A.	6972	3551	N.A.	6963	4482	N.A.	1473	1355	N.A.	27445	17520	N.A.
2003	6141	4228	N.A.	2091	1689	N.A.	5900	3543	N.A.	7763	4274	N.A.	7596	4812	N.A.	288	148	N.A.	29779	18694	N.A.
2004	7394	4834	N.A.	2559	2133	N.A.	5972	3556	N.A.	8001	3997	N.A.	5895	3843	N.A.	233	142	N.A.	30054	18505	N.A.
2005	7994	5394	N.A.	2946	2315	N.A.	7278	4152	N.A.	9546	4714	N.A.	6458	4210	N.A.	867	516	N.A.	35089	21301	N.A.
2006	8357	4791	N.A.	4013	1989	N.A.	9032	3766	N.A.	11217	4677	N.A.	7778	4512	N.A.	78	44	N.A.	40475	19779	N.A.
2007	7838	5204	N.A.	2885	2081	N.A.	7764	4246	N.A.	11021	5321	N.A.	7833	5061	N.A.	0	2	N.A.	37341	21915	N.A.
2008	5855	3706	N.A.	2743	1727	N.A.	8568	4368	N.A.	12014	5840	N.A.	7750	4494	N.A.	43	14	N.A.	36973	20149	N.A.
2009	7382	5096	N.A.	3314	2517	N.A.	9872	5577	N.A.	13354	6554	N.A.	8863	5794	N.A.	23	27	N.A.	42808	25565	N.A.
2010	7652	5360	N.A.	3498	2796	N.A.	10475	5682	N.A.	15858	7706	N.A.	10549	6797	N.A.	0	0	N.A.	48032	28341	N.A.
2011	7448	5120	N.A.	3084	2460	N.A.	9114	4932	N.A.	13613	6742	N.A.	9511	6302	N.A.	0	0	N.A.	42770	25556	N.A.
2012	7638	5132	N.A.	2903	2262	N.A.	9147	4719	N.A.	13581	6837	N.A.	9183	6454	N.A.	0	0	N.A.	42452	25404	N.A.
2013	7210	4926	N.A.	2809	2290	N.A.	8996	4741	N.A.	13679	7242	N.A.	9673	6569	N.A.	0	0	N.A.	42367	25768	N.A.
2014	7230	4892	N.A.	2878	2262	N.A.	9883	4648	N.A.	15578	8097	N.A.	11109	7488	N.A.	322	204	N.A.	47001	27591	N.A.
2015	7671	5330	N.A.	3028	2308	N.A.	10127	5367	N.A.	16038	8644	N.A.	11583	7895	N.A.	38	38	N.A.	48485	29582	N.A.
2016	7659	5124	9	3205	2514	0	11360	5649	2	18592	9682	2	14610	9673	0	1380	1042	14	56806	33684	27
2017	7401	5162	8	3163	2574	1	11360	5628	2	18852	9790	3	13433	9468	2	1485	1032	13	55694	33654	29
2018	8230	5742	13	3451	2601	0	12563	5897	3	20482	10989	1	15613	10852	1	993	705	17	61332	36786	35

# OTHERS includes transgender/ ambiguous/ not stated

**TABLE - 5**

**INSTITUTIONAL INFANT DEATHS DUE TO MAJOR DISEASES DURING (2001-2018)**

<b>Sl. No.</b>	<b>Cause of Death</b>	<b>2001</b>	<b>2002</b>	<b>2003</b>	<b>2004</b>	<b>2005</b>	<b>2006</b>	<b>2007</b>	<b>2008</b>	<b>2009</b>	<b>2010</b>	<b>2011</b>	<b>2012</b>	<b>2013</b>	<b>2014</b>	<b>2015</b>	<b>2016</b>	<b>2017</b>	<b>2018</b>
1	Slow foetal growth, foetal malnutrition and immaturity	1014 (14.47)	1386 (29.62)	1626 (36.54)	1603 (40.04)	1140 (28.00)	995 (17.70)	1211 (15.10)	611 (10.70)	708 (10.59)	343 (4.40)	677 (8.73)	788 (9.20)	630 (7.65)	630 (7.88)	625 (7.26)	426 (5.32)	1268 (16.75)	1015 (11.78)
2	All other signs, symptoms and ill defined conditions	2275 (32.48)	353 (7.54)	66 (1.48)	197 (4.92)	86 (2.11)	327 (5.81)	544 (6.78)	357 (6.25)	245 (3.66)	1160 (14.87)	1805 (23.28)	2245 (26.20)	157 (1.91)	96 (1.20)	177 (2.05)	153 (1.91)	194 (2.56)	143 (1.66)
3	All other conditions originating in perinatal period	20 (0.28)	134 (2.86)	109 (2.45)	935 (23.36)	2460 (60.43)	2195 (39.04)	4077 (50.83)	2602 (45.57)	2821 (42.58)	1478 (18.94)	604 (7.79)	511 (5.96)	2439 (29.62)	719 (9.00)	537 (6.23)	484 (6.04)	534 (7.06)	461 (5.35)
4	Septicemia	1015 (14.48)	352 (7.52)	420 (9.44)	420 (10.49)	22 (0.54)	294 (5.23)	137 (1.71)	195 (3.42)	593 (8.87)	696 (8.92)	747 (9.64)	697 (8.13)	718 (8.72)	908 (11.37)	978 (11.36)	933 (11.64)	1133 (14.97)	1707 (19.81)
5	Meningitis	211 (3.01)	30 (0.64)	76 (1.71)	103 (2.57)	39 (0.96)	200 (3.56)	139 (1.73)	71 (1.24)	86 (1.28)	27 (0.35)	27 (0.35)	132 (1.54)	130 (1.58)	116 (1.45)	37 (0.43)	68 (0.85)	91 (1.20)	105 (1.22)
6	Pneumonia	341 (4.86)	105 (2.24)	99 (2.22)	317 (7.92)	09 (0.22)	115 (2.04)	101 (1.26)	106 (1.86)	167 (2.56)	372 (4.76)	172 (2.22)	353 (4.12)	338 (4.11)	308 (3.86)	396 (4.60)	400 (4.99)	282 (3.73)	382 (4.43)
7	Others	2132 (30.42)	2319 (49.56)	2054 (46.16)	428 (10.69)	315 (7.74)	1497 (26.62)	1812 (22.59)	1768 (30.96)	2068 (30.92)	3726 (47.76)	3720 (47.99)	3843 (44.85)	3821 (46.41)	5213 (65.24)	5862 (68.07)	5551 (69.26)	4067 (53.73)	4804 (55.75)
<b>Total</b>		<b>7008</b>	<b>4679</b>	<b>4450</b>	<b>4003</b>	<b>4071</b>	<b>5623</b>	<b>8021</b>	<b>5710</b>	<b>6688</b>	<b>7802</b>	<b>7752</b>	<b>8569</b>	<b>8233</b>	<b>7990</b>	<b>8612</b>	<b>8015</b>	<b>7569</b>	<b>8617</b>

**TABLE - 6**

**PERCENTAGE DISTRIBUTION OF LEADING MAJOR CAUSES OF DEATH DURING (2001-2018)**

YEAR	I (Certain Infectious And Parasitic Diseases)		IX (Diseases of the Circulatory System)		X (Diseases of the Respiratory System)		XVI (Certain Condition Originating in the Perinatal Period)		XVIII (Symptoms, Signs and abnormal clinical & Laboratory finding n.e.c.)		OTHER		TOTAL	
	NUMBER	%	NUMBER	%	NUMBER	%	NUMBER	%	NUMBER	%	NUMBER	%	NUMBER	%
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
2001	5965	13.24	6960	15.45	3231	7.17	1982	4.40	18018	40.00	8893	19.74	45034	100.00
2002	8391	18.66	7266	16.16	3812	8.48	3252	7.23	13758	31.37	8486	18.87	44965	100.00
2003	10682	22.04	9577	19.76	3672	7.58	2738	5.65	13777	27.90	8027	16.56	48473	100.00
2004	9186	18.92	9976	20.54	2288	4.71	2479	5.11	16183	33.33	8447	17.40	48559	100.00
2005	12072	21.41	6448	11.43	2769	4.91	3632	6.44	19546	34.66	11923	21.15	56390	100.00
2006	8365	13.88	6848	11.37	2316	3.84	3190	5.30	23550	39.08	15985	26.53	60254	100.00
2007	9099	15.36	13476	22.74	2465	4.16	5288	8.92	14587	24.62	14341	24.20	59256	100.00
2008	8513	14.90	12949	22.67	2696	4.72	3213	5.62	15263	26.72	14488	25.36	57122	100.00
2009	9171	13.41	13904	20.34	3115	4.56	3529	5.16	21264	31.1	17390	25.43	68373	100.00
2010	15879	20.79	8215	10.76	3746	4.90	2697	3.53	25513	33.41	20323	26.61	76373	100.00
2011	10652	15.59	8435	12.35	3942	5.77	2027	2.97	17305	25.33	25965	37.99	68326	100.00
2012	9984	14.71	9420	13.89	4215	6.22	1987	2.93	18288	26.95	23962	35.30	67856	100.00
2013	10929	16.04	9617	14.11	4655	6.83	4162	6.11	16787	24.64	21985	32.27	68135	100.00
2014	12529	16.80	9455	12.68	5282	7.08	2797	3.75	18584	24.91	25945	34.78	74592	100.00
2015	11929	15.28	11875	15.21	6239	7.99	2959	3.79	19583	25.09	25482	32.64	78067	100.00
2016	13540	14.96	15919	17.59	8260	9.13	3449	3.81	19454	21.49	29895	33.03	90517	100.00
2017	13211	14.78	17203	19.25	7511	8.40	3662	4.10	19524	21.84	28266	31.63	89377	100.00
2018	13522	13.78	19445	19.81	8453	8.61	3237	3.30	22929	23.36	30567	31.14	98153	100.00

**TABLE - 7**

**DEATHS IN DELHI DUE TO HEART ATTACK (2001-2018)**

Year	Total Deaths	Institutional Deaths	Domicillary Deaths	No. Of Deaths Due to Heart Attack				No. Of Heart Attack Deaths in which MCCD Reported				% of Deaths Due to Heart Attack	% of Heart Attack Deaths in which MCCD Reported
				Male	Female	Others	Total	Male	Female	Others	Total		
1	2	3	4	5	6	7	8	9	10	11	12	13	14
2001	81100	45034	36066	5232	2904	N.A.	8136	4399	2561	N.A.	6960	10.03	85.55
2002	86176	44965	41211	8986	2906	N.A.	11892	5233	2033	N.A.	7266	13.80	61.1
2003	87743	48473	39270	8285	3436	N.A.	11721	6017	3560	N.A.	9577	13.36	81.71
2004	85378	48559	36819	8148	4521	N.A.	12669	6252	3724	N.A.	9976	14.84	78.74
2005	94187	56390	37797	5504	3072	N.A.	8576	3980	2468	N.A.	6448	9.11	75.19
2006	98908	60254	38654	6112	2724	N.A.	8836	4698	2150	N.A.	6848	8.93	77.5
2007	100974	59256	41718	9974	5468	N.A.	15442	8524	4952	N.A.	13476	15.29	87.27
2008	107600	57122	50478	10345	5531	N.A.	15876	8487	4462	N.A.	12949	14.75	81.56
2009	112013	68373	43640	10514	5644	N.A.	16158	8665	5239	N.A.	13904	14.43	86.05
2010	124353	76373	47980	5222	3014	N.A.	8236	5208	3007	N.A.	8215	6.62	99.75
2011	112142	68326	43816	6961	3733	N.A.	10694	5315	3120	N.A.	8435	9.54	78.88
2012	104616	67856	36760	7673	4051	N.A.	11724	5910	3510	N.A.	9420	11.21	80.95
2013	97185	68135	29050	7487	4035	N.A.	11522	6039	3578	N.A.	9617	11.86	83.47
2014	121286	74592	46694	6838	4042	N.A.	10880	5786	3669	N.A.	9455	8.97	86.90
2015	124516	78067	46449	7912	4768	N.A.	12680	7293	4582	N.A.	11875	10.18	93.65
2016	141632	90517	51115	10548	6115	2	16665	9970	5947	2	15919	11.77	95.52
2017	136117	89377	46740	11171	6667	2	17840	10660	6541	2	17203	13.11	96.43
2018	145533	98153	47380	12639	7528	2	20169	12074	7369	2	19445	13.86	96.41

TABLE - 8

## DISTRIBUTION OF MEDICALLY CERTIFIED HEART ATTACK DEATHS BY AGE &amp; SEX (2001-2018)

Year	14 Years & Below			15-24 Years			25-44 Years			45-64 Years			65 & Above			Not Stated			Total			
	Male	Female	Others	Male	Female	Others	Male	Female	Others	Male	Female	Others	Male	Female	Others	Male	Female	Others	Male	Female	Others	Total
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
2001	470	313	N.A.	220	145	N.A.	746	487	N.A.	1542	740	N.A.	1315	794	N.A.	106	82	N.A.	4399	2561	N.A.	6960
2002	218	134	N.A.	222	119	N.A.	1066	253	N.A.	1988	654	N.A.	1688	849	N.A.	51	24	N.A.	5233	2033	N.A.	7266
2003	417	211	N.A.	278	253	N.A.	1138	631	N.A.	2141	1074	N.A.	2008	1372	N.A.	35	19	N.A.	6017	3560	N.A.	9577
2004	654	404	N.A.	404	302	N.A.	1178	637	N.A.	2103	1067	N.A.	1885	1295	N.A.	28	19	N.A.	6252	3724	N.A.	9976
2005	382	222	N.A.	204	154	N.A.	736	478	N.A.	1453	780	N.A.	1060	745	N.A.	145	89	N.A.	3980	2468	N.A.	6448
2006	374	150	N.A.	362	135	N.A.	933	370	N.A.	1719	732	N.A.	1302	757	N.A.	8	6	N.A.	4698	2150	N.A.	6848
2007	712	476	N.A.	565	343	N.A.	1661	929	N.A.	2999	1444	N.A.	2587	1760	N.A.	0	0	N.A.	8524	4952	N.A.	13476
2008	597	368	N.A.	551	365	N.A.	1867	901	N.A.	3075	1377	N.A.	2383	1831	N.A.	14	3	N.A.	8487	4462	N.A.	12949
2009	775	548	N.A.	540	399	N.A.	1874	969	N.A.	3076	1567	N.A.	2392	1742	N.A.	8	14	N.A.	8665	5239	N.A.	13904
2010	313	205	N.A.	225	221	N.A.	1114	527	N.A.	2121	1015	N.A.	1405	1039	N.A.	0	0	N.A.	5208	3007	N.A.	8215
2011	283	166	N.A.	255	171	N.A.	967	484	N.A.	2117	1071	N.A.	1693	1228	N.A.	0	0	N.A.	5315	3120	N.A.	8435
2012	354	212	N.A.	274	236	N.A.	1073	659	N.A.	2391	1162	N.A.	1818	1241	N.A.	0	0	N.A.	5910	3510	N.A.	9420
2013	358	200	N.A.	297	208	N.A.	1061	604	N.A.	2488	1241	N.A.	1835	1325	N.A.	0	0	N.A.	6039	3578	N.A.	9617
2014	310	208	N.A.	235	173	N.A.	948	552	N.A.	2394	1349	N.A.	1887	1378	N.A.	12	9	N.A.	5786	3669	N.A.	9455
2015	297	189	N.A.	273	192	N.A.	1186	694	N.A.	3113	1725	N.A.	2423	1781	N.A.	1	1	N.A.	7293	4582	N.A.	11875
2016	448	274	0	286	269	0	1501	808	0	4164	2160	1	3474	2369	0	97	67	1	9970	5947	2	15919
2017	406	264	0	315	209	0	1709	912	0	4546	2409	1	3621	2704	1	63	43	0	10660	6541	2	17203
2018	473	299	0	460	326	0	2200	1137	0	5025	2788	0	3865	2776	1	51	43	1	12074	7369	2	19445

**TABLE - 9**

**DEATHS IN DELHI DUE TO PNEUMONIA (2001-2018)**

Year	Total Deaths	Institutional Deaths	Domiciliary Deaths	No. of Deaths due to Pneumonia				No. of Pneumonia Deaths in which MCCD Reported				% of Deaths due to Pneumonia	% of Pneumonia Deaths in which MCCD Reported
				Male	Female	Others	Total	Male	Female	Others	Total		
1	2	3	4	5	6	7	8	9	10	11	12	13	14
2001	81100	45034	36066	743	462	N.A.	1205	794	406	N.A.	1200	1.49	99.58
2002	86176	44965	41211	1259	991	N.A.	2250	1122	834	N.A.	1956	2.61	86.93
2003	87743	48473	39270	1264	918	N.A.	2182	1053	700	N.A.	1753	2.49	80.34
2004	85378	48559	36819	771	463	N.A.	1234	697	422	N.A.	1119	1.45	90.68
2005	94187	56390	37797	914	589	N.A.	1503	801	493	N.A.	1294	1.60	86.09
2006	98908	60254	38654	559	309	N.A.	868	526	284	N.A.	810	0.88	93.32
2007	100974	59256	41718	555	324	N.A.	879	512	306	N.A.	812	0.87	92.38
2008	107600	57122	50478	976	563	N.A.	1539	840	517	N.A.	1357	1.43	88.17
2009	112013	68373	43640	985	608	N.A.	1593	874	575	N.A.	1449	1.42	90.96
2010	124353	76373	47980	1351	850	N.A.	2201	1344	841	N.A.	2185	1.77	99.27
2011	112142	68326	43816	951	647	N.A.	1598	941	640	N.A.	1581	1.42	98.94
2012	104616	67856	36760	965	648	N.A.	1613	954	641	N.A.	1595	1.54	98.88
2013	97185	68135	29050	923	624	N.A.	1547	921	618	N.A.	1539	1.59	99.48
2014	121286	74592	46694	856	585	N.A.	1441	854	584	N.A.	1438	1.22	99.79
2015	124516	78067	46449	1161	789	N.A.	1950	1156	787	N.A.	1943	1.57	99.64
2016	141632	90517	51115	1204	785	0	1989	1191	768	0	1959	1.40	98.49
2017	136117	89377	46740	994	655	0	1649	991	652	0	1643	1.21	99.64
2018	145533	98153	47380	1237	813	1	2051	1236	812	1	2049	1.41	99.90



TABLE - 10

## DISTRIBUTION OF MEDICALLY CERTIFIED PNEUMONIA DEATHS BY AGE &amp; SEX (2001-2018)

Year	14 Years & Below			15-24 Years			25-44 Years			45-64 Years			65 & Above			Not Stated			Total			
	Male	Female	Others	Male	Female	Others	Male	Female	Others	Male	Female	Others	Male	Female	Others	Male	Female	Others	Male	Female	Others	Total
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
2001	381	210	N.A.	39	35	N.A.	107	47	N.A.	131	48	N.A.	116	55	N.A.	20	11	N.A.	794	406	N.A.	1200
2002	675	558	N.A.	137	117	N.A.	78	40	N.A.	111	56	N.A.	115	61	N.A.	6	2	N.A.	1122	834	N.A.	1956
2003	616	424	N.A.	127	117	N.A.	78	40	N.A.	111	56	N.A.	115	61	N.A.	6	2	N.A.	1053	700	N.A.	1753
2004	337	202	N.A.	50	46	N.A.	97	60	N.A.	140	62	N.A.	65	49	N.A.	8	3	N.A.	697	422	N.A.	1119
2005	299	190	N.A.	70	45	N.A.	123	79	N.A.	151	90	N.A.	134	76	N.A.	24	13	N.A.	801	493	N.A.	1294
2006	169	120	N.A.	43	12	N.A.	89	36	N.A.	120	50	N.A.	101	66	N.A.	4	0	N.A.	526	284	N.A.	810
2007	165	117	N.A.	44	24	N.A.	66	41	N.A.	123	63	N.A.	114	61	N.A.	0	0	N.A.	512	306	N.A.	812
2008	193	143	N.A.	42	29	N.A.	213	103	N.A.	221	134	N.A.	169	108	N.A.	2	0	N.A.	840	517	N.A.	1357
2009	341	239	N.A.	32	43	N.A.	176	98	N.A.	162	96	N.A.	161	99	N.A.	2	0	N.A.	874	575	N.A.	1449
2010	371	257	N.A.	82	68	N.A.	229	139	N.A.	381	193	N.A.	281	184	N.A.	0	0	N.A.	1344	841	N.A.	2185
2011	256	181	N.A.	45	60	N.A.	122	90	N.A.	240	127	N.A.	278	182	N.A.	0	0	N.A.	941	640	N.A.	1581
2012	298	219	N.A.	48	33	N.A.	120	69	N.A.	250	165	N.A.	238	155	N.A.	0	0	N.A.	954	641	N.A.	1595
2013	284	218	N.A.	53	41	N.A.	127	85	N.A.	233	128	N.A.	224	146	N.A.	0	0	N.A.	921	618	N.A.	1539
2014	258	184	N.A.	28	41	N.A.	120	75	N.A.	220	134	N.A.	224	146	N.A.	4	4	N.A.	854	584	N.A.	1438
2015	373	265	N.A.	46	58	N.A.	190	134	N.A.	296	166	N.A.	251	164	N.A.	0	0	N.A.	1156	787	N.A.	1943
2016	375	259	0	55	61	0	170	93	0	271	148	0	304	195	0	16	12	0	1191	768	0	1959
2017	301	218	0	58	53	0	146	85	0	216	137	0	247	140	0	23	19	0	991	652	0	1643
2018	359	267	0	62	51	0	165	88	0	276	171	1	365	229	0	9	6	0	1236	812	1	2049

**TABLE - 11**

**DEATHS IN DELHI DUE TO TUBERCULOSIS (2001-2018)**

Year	Total Deaths	Institutional Deaths	Domiciliary Deaths	No. of Deaths due to Tuberculosis				No. of Tuberculosis Deaths in which MCCD Reported				% of Deaths due to Tuberculosis	% of Tuberculosis Deaths in which MCCD Reported
				Male	Female	Others	Total	Male	Female	Others	Total		
1	2	3	4	5	6	7	8	9	10	11	12	13	14
2001	81100	45034	36066	1219	662	N.A.	1881	898	575	N.A.	1473	2.32	78.31
2002	86176	44965	41211	2976	1707	N.A.	4683	2315	1239	N.A.	3554	5.43	75.89
2003	87743	48473	39270	3099	1825	N.A.	4924	2354	1243	N.A.	3597	5.61	73.05
2004	85378	48559	36819	1518	797	N.A.	2315	1254	733	N.A.	1987	2.71	85.83
2005	94187	56390	37797	2332	1286	N.A.	3618	2066	1213	N.A.	3279	3.84	90.63
2006	98908	60254	38654	2337	1173	N.A.	3510	1987	1077	N.A.	3064	3.55	87.29
2007	100974	59256	41718	1724	792	N.A.	2516	1321	697	N.A.	2018	2.49	80.21
2008	107600	57122	50478	1886	746	N.A.	2632	1486	653	N.A.	2139	2.45	81.27
2009	112013	68373	43640	1798	760	N.A.	2558	1539	712	N.A.	2251	2.28	87.99
2010	124353	76373	47980	2375	1071	N.A.	3446	2073	992	N.A.	3065	2.77	88.94
2011	112142	68326	43816	2696	1272	N.A.	3968	2410	1193	N.A.	3603	3.54	90.8
2012	104616	67856	36760	2363	1133	N.A.	3496	2085	1033	N.A.	3118	3.34	89.19
2013	97185	68135	29050	2460	1202	N.A.	3662	2162	1077	N.A.	3239	3.77	88.45
2014	121286	74592	46694	3394	1536	N.A.	4930	2959	1391	N.A.	4350	4.06	88.24
2015	124516	78067	46449	2849	1416	N.A.	4265	2382	1253	N.A.	3635	3.43	85.23
2016	141632	90517	51115	2939	1509	0	4448	2445	1288	0	3733	3.14	83.93
2017	136117	89377	46740	2773	1358	0	4131	2425	1231	0	3656	3.03	88.50
2018	145533	98153	47380	2911	1404	0	4315	2549	1285	0	3834	2.96	88.85

**TABLE - 12**

**DISTRIBUTION OF MEDICALLY CERTIFIED TUBERCULOSIS DEATHS BY AGE & SEX (2001-2018)**

Year	14 Years & Below			15-24 Years			25-44 Years			45-64 Years			65 & Above			Not Stated			Total			
	Male	Female	Others	Male	Female	Others	Male	Female	Others	Male	Female	Others	Male	Female	Others	Male	Female	Others	Male	Female	Others	Total
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
2001	91	85	N.A.	105	135	N.A.	319	192	N.A.	265	104	N.A.	103	50	N.A.	15	9	N.A.	898	575	N.A.	1473
2002	101	80	N.A.	209	258	N.A.	424	237	N.A.	891	385	N.A.	666	263	N.A.	24	16	N.A.	2315	1239	N.A.	3554
2003	107	91	N.A.	172	177	N.A.	454	254	N.A.	905	432	N.A.	682	273	N.A.	34	16	N.A.	2354	1243	N.A.	3597
2004	168	159	N.A.	151	158	N.A.	425	241	N.A.	354	110	N.A.	153	64	N.A.	3	1	N.A.	1254	733	N.A.	1987
2005	220	240	N.A.	222	244	N.A.	718	422	N.A.	659	211	N.A.	222	82	N.A.	25	14	N.A.	2066	1213	N.A.	3279
2006	183	156	N.A.	173	215	N.A.	696	382	N.A.	679	216	N.A.	255	105	N.A.	1	3	N.A.	1987	1077	N.A.	3064
2007	93	87	N.A.	138	157	N.A.	444	235	N.A.	483	143	N.A.	163	75	N.A.	0	0	N.A.	1321	697	N.A.	2018
2008	92	74	N.A.	166	163	N.A.	487	226	N.A.	553	147	N.A.	188	43	N.A.	0	0	N.A.	1486	653	N.A.	2139
2009	40	49	N.A.	140	136	N.A.	555	216	N.A.	621	253	N.A.	183	58	N.A.	0	0	N.A.	1539	712	N.A.	2251
2010	75	91	N.A.	244	237	N.A.	746	343	N.A.	750	222	N.A.	258	99	N.A.	0	0	N.A.	2073	992	N.A.	3065
2011	79	106	N.A.	274	291	N.A.	827	381	N.A.	889	285	N.A.	341	130	N.A.	0	0	N.A.	2410	1193	N.A.	3603
2012	95	94	N.A.	196	228	N.A.	744	327	N.A.	759	252	N.A.	291	132	N.A.	0	0	N.A.	2085	1033	N.A.	3118
2013	77	94	N.A.	205	246	N.A.	737	300	N.A.	751	269	N.A.	392	168	N.A.	0	0	N.A.	2162	1077	N.A.	3239
2014	95	127	N.A.	304	328	N.A.	976	380	N.A.	1123	357	N.A.	458	197	N.A.	3	2	N.A.	2959	1391	N.A.	4350
2015	115	114	N.A.	262	296	N.A.	800	369	N.A.	867	315	N.A.	336	159	N.A.	2	0	N.A.	2382	1253	N.A.	3635
2016	105	113	0	266	319	0	822	372	0	851	294	0	382	164	0	19	26	0	2445	1288	0	3733
2017	75	106	0	236	353	0	806	366	0	906	270	0	386	127	0	16	9	0	2425	1231	0	3656
2018	91	148	0	259	307	0	818	369	0	950	296	0	423	160	0	8	5	0	2549	1285	0	3834

**TABLE - 13**

**DEATHS IN DELHI DUE TO CANCER (2001-2018)**

Year	Total Deaths	Institutional Deaths	Domiciliary Deaths	No. of Deaths due to Cancer				No. of Cancer Deaths in which MCCD Reported				% of Deaths due to Cancer	% of Cancer Deaths in which MCCD Reported
				Male	Female	Others	Total	Male	Female	Others	Total		
1	2	3	4	5	6	7	8	9	10	11	12	13	14
2001	81100	45034	36066	666	451	N.A.	1117	605	372	N.A.	977	1.38	87.47
2002	86176	44965	41211	894	658	N.A.	1552	488	383	N.A.	871	1.80	56.12
2003	87743	48473	39270	897	592	N.A.	1489	522	426	N.A.	948	1.70	63.67
2004	85378	48559	36819	923	610	N.A.	1533	662	431	N.A.	1093	1.79	71.30
2005	94187	56390	37797	1207	802	N.A.	2009	956	589	N.A.	1545	2.13	76.90
2006	98908	60254	38654	1236	824	N.A.	2060	880	591	N.A.	1471	2.08	71.41
2007	100974	59256	41718	1589	1008	N.A.	2597	1160	751	N.A.	1911	2.57	73.58
2008	107600	57122	50478	2011	1059	N.A.	3070	1502	702	N.A.	2204	2.85	71.79
2009	112013	68373	43640	2512	1424	N.A.	3936	2066	1161	N.A.	3227	3.51	81.99
2010	124353	76373	47980	3514	2214	N.A.	5728	3412	2024	N.A.	5436	4.61	94.90
2011	112142	68326	43816	6109	3816	N.A.	9925	5715	3551	N.A.	9266	8.85	93.36
2012	104616	67856	36760	3813	2631	N.A.	6444	3457	2315	N.A.	5772	6.16	89.57
2013	97185	68135	29050	3244	2326	N.A.	5570	2379	1730	N.A.	4109	5.73	73.77
2014	121286	74592	46694	3366	2320	N.A.	5686	3224	2255	N.A.	5479	4.69	96.36
2015	124516	78067	46449	2950	2044	N.A.	4994	2748	1918	N.A.	4666	4.01	93.43
2016	141632	90517	51115	3436	2305	1	5742	2819	1992	1	4812	4.05	83.80
2017	136117	89377	46740	3196	2085	0	5281	3112	2050	0	5162	3.88	97.75
2018	145533	98153	47380	3816	2697	1	6514	3736	2659	1	6396	4.48	98.19

**TABLE - 14**

**DISTRIBUTION OF MEDICALLY CERTIFIED CANCER DEATHS BY AGE & SEX (2001-2018)**

Year	14 Years & Below			15-24 Years			25-44 Years			45-64 Years			65 & Above			Not Stated			Total			
	Male	Female	Others	Male	Female	Others	Male	Female	Others	Male	Female	Others	Male	Female	Others	Male	Female	Others	Male	Female	Others	Total
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
2001	71	24	N.A.	52	15	N.A.	138	96	N.A.	200	144	N.A.	127	82	N.A.	17	11	N.A.	605	372	N.A.	977
2002	34	11	N.A.	23	14	N.A.	61	78	N.A.	192	171	N.A.	165	106	N.A.	13	3	N.A.	488	383	N.A.	871
2003	26	10	N.A.	23	15	N.A.	72	80	N.A.	214	200	N.A.	175	118	N.A.	12	3	N.A.	522	426	N.A.	948
2004	53	34	N.A.	42	23	N.A.	110	71	N.A.	251	187	N.A.	196	114	N.A.	10	2	N.A.	662	431	N.A.	1093
2005	75	36	N.A.	62	29	N.A.	153	116	N.A.	311	192	N.A.	231	123	N.A.	124	93	N.A.	956	589	N.A.	1545
2006	58	51	N.A.	77	22	N.A.	154	92	N.A.	342	276	N.A.	241	143	N.A.	8	7	N.A.	880	591	N.A.	1471
2007	80	38	N.A.	59	28	N.A.	189	153	N.A.	484	331	N.A.	348	201	N.A.	0	0	N.A.	1160	751	N.A.	1911
2008	109	40	N.A.	92	30	N.A.	307	120	N.A.	691	363	N.A.	300	148	N.A.	3	1	N.A.	1502	702	N.A.	2204
2009	183	109	N.A.	199	90	N.A.	558	270	N.A.	716	463	N.A.	409	228	N.A.	1	1	N.A.	2066	1161	N.A.	3227
2010	379	238	N.A.	266	120	N.A.	844	395	N.A.	1183	767	N.A.	740	504	N.A.	0	0	N.A.	3412	2024	N.A.	5436
2011	787	497	N.A.	507	318	N.A.	1316	759	N.A.	2044	1276	N.A.	1061	701	N.A.	0	0	N.A.	5715	3551	N.A.	9266
2012	500	303	N.A.	260	129	N.A.	631	479	N.A.	1286	938	N.A.	780	466	N.A.	0	0	N.A.	3457	2315	N.A.	5772
2013	248	147	N.A.	170	108	N.A.	442	407	N.A.	966	758	N.A.	553	310	N.A.	0	0	N.A.	2379	1730	N.A.	4109
2014	269	135	N.A.	259	124	N.A.	641	535	N.A.	1314	1024	N.A.	734	433	N.A.	7	4	N.A.	3224	2255	N.A.	5479
2015	257	145	N.A.	205	79	N.A.	490	484	N.A.	1177	886	N.A.	619	324	N.A.	0	0	N.A.	2748	1918	N.A.	4666
2016	204	103	0	220	92	0	524	493	0	1200	926	0	641	367	0	30	11	1	2819	1992	1	4812
2017	203	105	0	194	99	0	586	488	0	1318	935	0	796	417	0	15	6	0	3112	2050	0	5162
2018	249	119	0	213	110	0	655	607	0	1572	1228	0	1036	586	0	11	9	1	3736	2659	1	6396

**TABLE - 15**

**DEATHS IN DELHI DUE TO DIABETIC MELLITUS (2001-2018)**

Year	Total Deaths	Institutional Deaths	Domicillary Deaths	No. of Deaths Due To Diabetic Mellitus				No. of Diabetic Mellitus Deaths in which MCCD Reported				% of Deaths Due To Diabetic Mellitus	% of Diabetic Mellitus Deaths in which MCCD Reported
				Male	Female	Others	Total	Male	Female	Others	Total		
1	2	3	4	5	6	7	8	9	10	11	12	13	14
2001	81100	45034	36066	370	250	N.A.	620	345	221	N.A.	566	0.76	91.29
2002	86176	44965	41211	302	355	N.A.	657	277	314	N.A.	591	0.76	89.95
2003	87743	48473	39270	425	332	N.A.	757	362	278	N.A.	640	0.86	84.54
2004	85378	48559	36819	439	343	N.A.	782	362	278	N.A.	640	0.92	81.84
2005	94187	56390	37797	608	525	N.A.	1133	568	484	N.A.	1052	1.20	92.85
2006	98908	60254	38654	3082	2214	N.A.	5296	2993	2125	N.A.	5118	5.35	96.64
2007	100974	59256	41718	2202	1718	N.A.	3920	2123	1638	N.A.	3761	3.88	95.94
2008	107600	57122	50478	2673	1953	N.A.	4626	2399	1587	N.A.	3986	4.30	86.17
2009	112013	68373	43640	2670	2001	N.A.	4671	2561	1890	N.A.	4451	4.17	95.29
2010	124353	76373	47980	816	563	N.A.	1379	753	514	N.A.	1267	1.11	91.88
2011	112142	68326	43816	922	720	N.A.	1642	870	658	N.A.	1528	1.46	93.06
2012	104616	67856	36760	850	773	N.A.	1623	796	722	N.A.	1518	1.55	93.53
2013	97185	68135	29050	1112	913	N.A.	2025	1049	872	N.A.	1921	2.08	94.86
2014	121286	74592	46694	996	863	N.A.	1859	947	815	N.A.	1762	1.53	94.78
2015	124516	78067	46449	818	641	N.A.	1459	759	597	N.A.	1356	1.17	92.94
2016	141632	90517	51115	1383	1255	0	2638	1337	1220	0	2557	1.86	96.93
2017	136117	89377	46740	1390	1225	0	2615	1363	1198	0	2561	1.92	97.93
2018	145533	98153	47380	1190	1096	0	2286	1149	1056	0	2205	1.57	96.46

TABLE - 16

## DISTRIBUTION OF MEDICALLY CERTIFIED DIABETIC MELLITUS DEATHS BY AGE &amp; SEX (2001-2018)

Year	14 Years & Below			15-24 Years			25-44 Years			45-64 Years			65 & Above			Not Stated			Total			
	Male	Female	Others	Male	Female	Others	Male	Female	Others	Male	Female	Others	Male	Female	Others	Male	Female	Others	Male	Female	Others	Total
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
2001	9	6	N.A.	6	8	N.A.	34	25	N.A.	172	83	N.A.	113	90	N.A.	11	9	N.A.	345	221	N.A.	566
2002	5	5	N.A.	3	6	N.A.	23	45	N.A.	144	140	N.A.	99	114	N.A.	3	4	N.A.	277	314	N.A.	591
2003	6	7	N.A.	4	1	N.A.	29	20	N.A.	178	118	N.A.	144	132	N.A.	1	0	N.A.	362	278	N.A.	640
2004	6	7	N.A.	4	1	N.A.	29	20	N.A.	178	118	N.A.	144	132	N.A.	1	0	N.A.	362	278	N.A.	640
2005	6	6	N.A.	3	5	N.A.	61	33	N.A.	263	212	N.A.	219	215	N.A.	16	13	N.A.	568	484	N.A.	1052
2006	885	635	N.A.	243	169	N.A.	355	326	N.A.	795	494	N.A.	711	499	N.A.	4	2	N.A.	2993	2125	N.A.	5118
2007	339	294	N.A.	147	114	N.A.	337	226	N.A.	684	513	N.A.	616	491	N.A.	0	0	N.A.	2123	1638	N.A.	3761
2008	548	328	N.A.	139	134	N.A.	356	256	N.A.	687	434	N.A.	668	433	N.A.	1	2	N.A.	2399	1587	N.A.	3986
2009	524	363	N.A.	134	108	N.A.	328	268	N.A.	818	515	N.A.	757	635	N.A.	0	1	N.A.	2561	1890	N.A.	4451
2010	6	10	N.A.	7	3	N.A.	50	36	N.A.	340	218	N.A.	350	247	N.A.	0	0	N.A.	753	514	N.A.	1267
2011	8	7	N.A.	11	9	N.A.	66	44	N.A.	410	276	N.A.	375	322	N.A.	0	0	N.A.	870	658	N.A.	1528
2012	11	19	N.A.	15	18	N.A.	66	57	N.A.	389	332	N.A.	315	296	N.A.	0	0	N.A.	796	722	N.A.	1518
2013	8	2	N.A.	6	10	N.A.	109	95	N.A.	495	419	N.A.	431	346	N.A.	0	0	N.A.	1049	872	N.A.	1921
2014	2	2	N.A.	9	8	N.A.	69	64	N.A.	472	390	N.A.	395	351	N.A.	0	0	N.A.	947	815	N.A.	1762
2015	2	4	N.A.	5	7	N.A.	65	35	N.A.	347	299	N.A.	340	252	N.A.	0	0	N.A.	759	597	N.A.	1356
2016	2	9	0	14	19	0	136	110	0	673	612	0	508	464	0	4	6	0	1337	1220	0	2557
2017	2	5	0	13	14	0	114	103	0	734	607	0	490	462	0	10	7	0	1363	1198	0	2561
2018	5	10	0	16	9	0	110	100	0	546	507	0	467	429	0	5	1	0	1149	1056	0	2205

**TABLE-17****DISTRIBUTION OF INFANT DEATHS (2001-2018)**

<b>Year</b>	<b>Neonatal Deaths (Infants below 4 weeks)</b>	<b>Neonatal Mortality Rate</b>	<b>Post-natal deaths (Infant 28 days- 12 months)</b>	<b>Post-natal Mortality Rate</b>	<b>Infant deaths (Infant 0-12 months)</b>	<b>Infant Mortality Rate</b>	<b>% Infant deaths to total deaths</b>
<b>1</b>	<b>2</b>	<b>3</b>	<b>4</b>	<b>5</b>	<b>6</b>	<b>7</b>	<b>8</b>
2001	4213	14.22	2878	9.71	7091	23.93	8.74
2002	3115	10.36	1776	5.91	4891	16.27	5.68
2003	3455	11.07	1790	5.95	5245	17.42	5.98
2004	2774	9.07	1229	4.02	4003	13.08	4.69
2005	3183	9.81	999	3.08	4182	12.89	4.44
2006	3756	11.64	2069	6.41	5825	18.05	5.89
2007	4917	15.27	3277	10.18	8194	25.44	8.11
2008	4485	13.43	1653	4.95	6138	18.38	5.70
2009	4887	13.79	1834	5.17	6721	18.96	6.00
2010	5509	15.32	2569	7.15	8078	22.47	6.49
2011	5283	14.93	2469	6.98	7752	21.91	6.91
2012	5168	14.33	3460	9.60	8628	23.93	8.25
2013	5687	15.37	2591	7.00	8278	22.37	8.52
2014	5293	14.16	2804	7.50	8097	21.66	6.67
2015	5908	15.80	2787	7.45	8695	23.25	6.98
2016	4878	12.87	3217	8.48	8095	21.35	5.72
2017	5072	13.82	2573	7.01	7645	20.83	5.62
2018	5588	15.4	3051	8.41	8639	23.81	5.94



<b>TABLE-18</b>			
<b>MATERNAL DEATH (2010-2018)</b>			
<b>Year</b>	<b>Total Births</b>	<b>Total Maternal Deaths</b>	<b>Maternal Mortality Rate</b>
<b>1</b>	<b>2</b>	<b>3</b>	<b>4</b>
2010	359463	510	1.42
2011	353759	515	1.46
2012	360473	376	1.04
2013	370000	198	0.54
2014	373693	163	0.44
2015	374012	139	0.37
2016	379161	156	0.41
2017	367046	178	0.48
2018	362803	146	0.40

<b>TABLE-19</b>			
<b>Death Rate of Delhi (2001-2018)</b>			
<b>Year</b>	<b>In Lakhs</b>		<b>Death Rate</b>
	<b>*Mid Year Population as on 1<sup>st</sup> July</b>	<b>Total number of Deaths</b>	
2001	139.40	0.81	5.81
2002	142.10	0.86	6.05
2003	144.86	0.88	6.07
2004	147.68	0.85	5.76
2005	150.54	0.94	6.24
2006	153.47	0.99	6.45
2007	156.45	1.01	6.46
2008	159.49	1.08	6.77
2009	162.58	1.12	6.89
2010	165.74	1.24	7.48
2011	168.96	1.12	6.63
2012	172.24	1.05	6.10
2013	175.59	0.97	5.52
2014	179.00	1.21	6.77
2015	182.47	1.25	6.83
2016	186.01	1.42	7.61
2017	189.63	1.36	7.18
2018	193.31	1.46	7.53

\*Estimated Mid Year Population based on Census-2011.